

PUBLIKATIONEN & VORTRÄGE PROF. DR. MED. FRANK ROEMER (19.12.2022, peer-reviewed in PubMed gelistet)

1. Wissenschaftliche Publikationen:

1. Roemer FW, Bohndorf K. Long-term osseous sequelae after acute trauma of the knee joint evaluated by MRI. *Skeletal Radiol.* 2002;31:615-23
2. Wohlgemuth WA, Roemer FW, Bohndorf K. Short tau inversion recovery and three-point Dixon water-fat separation sequences in acute traumatic bone fractures at open 0.35 tesla MRI. *Skeletal Radiol.* 2002;31:343-8
3. Mohr A, Roemer FW, Genant HK, Liess C. Using Fat-Saturated Proton Density-Weighted MR Imaging to Evaluate Articular Cartilage. *AJR Am J Roentgenol.* 2003;181:280-2
4. Grigoryan M, Guermazi A, Roemer FW, Delmas PD, Genant HK. Recognizing and reporting osteoporotic vertebral fractures. *Eur Spine J.* 2003 Oct; 12 Suppl 2:S104-12
5. Mohr A, Bergmann I, Schrader C, Roemer FW, Lynch JA, Muhle C, Genant HK, Heller M. Value of micro-CT as an investigative tool for osteochondritis dissecans. *Acta Radiol.* 2003;44:532-537
6. Remplik P, Staebler A, Merl T, Roemer FW, Bohndorf K. Diagnosis of acute fractures of the extremities: comparison of low-field MRI and conventional radiography. *Eur Radiol.* 2004;14:625-30
7. Grigoryan M, Roemer FW, Mohr A, Genant HK. Imaging in spondyloarthropathies. *Curr Rheumatol Rep.* 2004;6:102-9
8. Mohr A, Barkmann R, Mohr C, Roemer FW, Schmidt C, Heller M, Gluer CC. Quantitative ultrasound for the diagnosis of osteoporosis. *Rofo.* 2004;176:610-7
9. Roemer FW, Remplik P, Bohndorf K. Uncommon aneurysmal bone cyst. *AJR Am J Roentgenol.* 2005;184:349
10. Mohr A, Wenke R, Roemer FW, Lynch JA, Gatzka C, Priebe M, Guermazi A, Grigorian M, Heller M, Mueller-Huelsbeck S. Micro CT of carotid arteries: a tool for experimental studies. *Cardiovasc Intervent Radiol.* 2004;27:651-4
11. Roemer FW, Mohr A, Lynch JA, Meta MD, Guermazi A, Genant HK. Micro CT Arthrography: A pilot study for the ex-vivo visualization of the rat knee joint. *AJR Am J Roentgenol* 2005;184:1215-9
12. Roemer FW, Guermazi A, Lynch JA, Peterfy CG, Nevitt MC, Webb N, Li J, Mohr A, Genant HK, Felson DT. Short tau inversion recovery and proton density-weighted fat suppressed sequences for the evaluation of osteoarthritis of the knee with a 1.0 T dedicated extremity MRI: Development of a time-efficient sequence protocol. *Eur Radiol.* 2005;15:978-87

13. Demharter J, Leissner G, Huf V, Roemer FW, Vollert K, Bohndorf K. Treatment of iatrogenic femoral pseudoaneurysms with thrombin injection--results in 54 patients. *Rofo*. 2005;177:550-4
14. Fessler R, Roemer FW, Bohndorf K. Percutaneous vertebroplasty for osteoporotic vertebral compression fractures: experiences and prospective clinical outcome in 26 consecutive patients with 50 vertebral fractures. *Rofo*. 2005;177:884-92
15. Rempik P, Schukai O, Roemer FW, Schalm J, Fischer W, Bucklein W, Mott K, Bohndorf K. Influence of clinical information on the diagnostic validity of MRI in the detection of abacterial sacroiliitis. *Rofo* 2005;177:842-8
16. Mohr A, Roemer FW, Genant HK. Analysis of atherosclerosis with micro-CT. *Radiology*. 2005;235:338-9
17. Roemer FW, Van Holsbeeck M, Genant HK. Musculoskeletal ultrasound in rheumatology: a radiologic perspective. *Arthritis Rheum*. 2005;53:491-3
18. Oechsle S, Vollert K, Buecklein W, Michl W, Roemer FW. Percutaneous treatment of a ruptured superior mesenteric artery aneurysm in a child. *Pediatr Radiol*. 2006;36:268-71
19. Roemer FW, Demharter J, Zentner J, Buecklein W. Unusual manifestation of small-vessel vasculitis. *AJR Am J Roentgenol*. 2006;186:586-7
20. Felson DT, Niu J, Guermazi A, Roemer FW, Aliabadi P, Clancy M, Torner J, Lewis CE, Nevitt MC. The development of knee pain correlates with enlarging bone marrow edema lesions on MRI. *Arthritis Rheum*. 2007;56:2986-92
21. Hernandez-Molina G, Neogi T, Hunter DJ, Niu J, Guermazi A, Roemer FW, McLennan CE, Reichenbach S, Felson DT. The association of bone attrition with knee pain and other MRI features of osteoarthritis. *Ann Rheum Dis* 2008;67:43-7
22. Hempfling H, Bohndorf K, Roemer FW. Acute Traumatic versus Chronic Cartilage Lesions as Terms of a Medical Expert's Opinion *Z Orthop Unfall* 2008;146:381-391
23. Englund M, Niu J, Guermazi A, Roemer FW, Hunter DJ, Lynch JA, Lewis CE, Torner J, Nevitt MC, Zhang YQ, Felson DT. Effect of meniscal damage on the development of frequent knee pain, aching, or stiffness. *Arthritis Rheum* 2007;56:4048-4054
24. Reichenbach S, Guermazi A, Niu J, Neogi T, Hunter DJ, Roemer FW, McLennan CE, Hernandez-Molina G, Felson DT. Prevalence of Bone Attrition on Knee Radiographs and MRI in a Community based Cohort. *Osteoarthritis Cartilage* 2008;16:1005-10
25. Marra MD, Crema MD, Chung M, Roemer FW, Hunter DJ, Zaim S, Diaz L, Guermazi A. MRI features of cystic lesions around the knee. *Knee*. 2008;15:423-38
26. Guermazi A, Burstein D, Conaghan P, Eckstein F, Hellio Le Graverand-Gastineau MP, Keen H, Roemer FW. Imaging in osteoarthritis. *Rheum Dis Clin North Am*. 2008;34:645-87

27. Crema MD, Marra MD, Guermazi A, Bohndorf K, Roemer FW. Relevant traumatic injury of the knee joint-MRI follow-up after 7-10 years. *Eur J Radiol.* 2009;72(3):473-9
28. Roemer FW, Hunter DJ, Guermazi A. MRI-based semiquantitative assessment of subchondral bone marrow lesions in osteoarthritis research. *Osteoarthritis Cartilage* 2009;17:414-5
29. Roemer FW, Guermazi A, Javaid MK, Lynch JA, Niu J, Zhang Y, Felson DT, Lewis CE, Torner J, Nevitt MC. Change in MRI -detected subchondral bone marrow lesions is associated with cartilage loss - the MOST study. *Ann Rheum Dis* 2009;68:1461-5
30. Roemer FW, Guermazi A, Hunter DJ., Niu J, Zhang Y, Englund M, Javaid MK, Lynch JA, Mohr A, Torner J, Lewis CE, Nevitt MC, Felson DT. The association of meniscal damage with joint effusion in persons without radiographic osteoarthritis: the Framingham and MOST Osteoarthritis Studies. *Osteoarthritis Cartilage* 2009;17:748-53
31. Roemer FW, Hunter DJ, Guermazi A. Semiquantitative assessment of synovitis in osteoarthritis on non contrast-enhanced MRI. *Osteoarthritis Cartilage* 2009;17:820-1
32. Guermazi A, Eckstein F, Hellio Le Graverand-Gastineau MP, Conaghan PG, Burstein D, Keen H, Roemer FW. Osteoarthritis: current role of imaging. *Med Clin North Am.* 2009;93:101-26
33. Reichenbach S, Yang M, Eckstein F, Niu J, Hunter DJ, McLennan CE, Guermazi A, Roemer FW, Hudelmaier M, Aliabadi P, Felson DT. Does cartilage volume or thickness distinguish knees with and without mild radiographic osteoarthritis? The Framingham Study. *Ann Rheum Dis* 2010;69(1):143-9
34. Hammerstingl R, Adam G, Ayuso JR, Van Beers B, Belfiore G, Bellin MF, Bongartz G, Ernst O, Frericks B, Giuseppetti G, Heinz-Peer G, Laghi A, Martin J, Pering C, Reimer P, Richter GM, Roemer FW, Schäfer FK, Vilgrain V, Vogl TJ, Weishaupt D, Wall A, Zech C, Tombach B. Comparison of 1.0 M Gadobutrol and 0.5 M Gadopentetate Dimeglumine-Enhanced Magnetic Resonance Imaging in Five Hundred Seventy-Two Patients With Known or Suspected Liver Lesions: Results of a Multicenter, Double-Blind, Interindividual, Randomized Clinical Phase-III Trial. *Invest Radiol* 2009;44(3):168-76
35. Guermazi A, Hunter DJ, Roemer FW. Plain radiography and magnetic resonance imaging diagnostics in osteoarthritis: validated staging and scoring. *J Bone Joint Surg Am* 2009;91 Suppl 1:54-62
36. Englund M, Guermazi A, Roemer FW, Aliabadi P, Yang M, Lewis CE, Torner J, Nevitt MC, Sack B, Felson DT. Meniscal tear in knees without surgery and the development of radiographic osteoarthritis among middle-aged and elderly persons: the Multicenter Osteoarthritis Study. *Arthritis Rheum* 2009;60:831-9
37. Roemer FW, Frobell R, Hunter DJ, Crema MD, Fischer W, Bohndorf K, Guermazi A. MRIdetected subchondral bone marrow signal alterations of the knee joint: terminology, imaging appearance, relevance and radiological differential diagnosis. *Osteoarthritis Cartilage* 2009;17:1115-31

38. Roemer FW, Guermazi A, Zhang Y, Yang M, Hunter DJ, Crema MD, Bohndorf K. Hoffa's Fat Pad: Evaluation on Unenhanced MR Images as a Measure of Patellofemoral Synovitis in Osteoarthritis. *AJR Am J Roentgenol* 2009;192:1696-700
39. Roemer FW, Zhang Y, Niu J, Lynch JA, Crema MD, Marra MD, Nevitt MC, Felson DT, Hughes L, El-Khoury G, Englund M, Guermazi A. Risk factors for MRI-detected rapid cartilage loss of the tibio-femoral joint over a 30-month period: the MOST study. *Radiology* 2009;252:772-80
40. Roemer FW, Guermazi A. MR imaging-based semiquantitative assessment in osteoarthritis. *Radiol Clin North Am* 2009;47:633-54
41. Eckstein F, Guermazi A, Roemer FW. Quantitative MRI of cartilage and trabecular bone in osteoarthritis. *Radiol Clin North Am* 2009;47:655-73
42. Crema MD, Roemer FW, Marra MD, Guermazi A. MR imaging of intra- and periarticular soft tissues and subchondral bone in knee osteoarthritis. *Radiol Clin North Am*. 2009;47:687-701
43. Roemer FW, Lynch JA, Niu J, Zhang Y, Crema MD, Tolstykh I, El-Khoury GY, Felson DT, Lewis CE, Nevitt MC, Guermazi A. A comparison of dedicated 1.0T extremity MRI vs largebore 1.5T MRI for semiquantitative whole organ assessment of osteoarthritis: the MOST study. *Osteoarthritis Cartilage* 2010;18(2):168-74
44. Crema MD, Roemer FW, Marra MD, Niu J, Lynch JA, Felson DT, Guermazi A. Contrast-enhanced MRI of subchondral cysts in patients with or at risk for knee osteoarthritis: The MOST study. *Eur J Radiol* 2010 Jul;75(1):e92-6
45. Roemer FW, Neogi T, Nevitt MC, Felson DT, Zhu Y, Zhang Y, Lynch JA, Javaid MK, Crema MD, Torner J, Lewis CE, Guermazi A. Subchondral bone marrow lesions are highly associated with, and predict subchondral bone attrition longitudinally: the MOST study. *Osteoarthritis Cartilage* 2010;18(1):47-53
46. Neogi T, Felson D, Niu J, Lynch J, Nevitt M, Guermazi A, Roemer FW, Lewis CE, Wallace B, Zhang Y. Cartilage loss occurs in the same subregions as subchondral bone attrition: A within-knee subregion-matched approach from the multicenter osteoarthritis study. *Arthritis Rheum* 2009;61:1539-44
47. Crema MD, Guermazi A, Li L, Nogueira-Barbosa MH, Marra MD, Roemer FW, Eckstein F, Hellio Le Graverand MP, Wyman BT, Hunter DJ. The association of prevalent medial meniscal pathology with cartilage loss in the medial tibiofemoral compartment over a 2-year period. *Osteoarthritis Cartilage* 2010;18(3):336-43
48. Crema MD, Marra MD, Guermazi A, Roemer FW, Bohndorf K, Jomaah N. MDCT arthrography features of ulnocarpal impaction syndrome. *AJR Am J Roentgenol*. 2009;193:1376-81

49. Crema MD, Roemer FW, Marra MD, Guermazi A. Magnetic resonance imaging assessment of subchondral bone and soft tissues in knee osteoarthritis. *Rheum Dis Clin North Am*. 2009;35(3):557-77
50. Javaid MK, Lynch JA, Tolstykh I, Guermazi A, Roemer FW, Aliabadi P, McCulloch C, Curtis J, Felson D, Lane NE, Torner J, Nevitt M. Pre-radiographic MRI findings are associated with onset of knee symptoms: the most study. *Osteoarthritis Cartilage* 2010;18(3):323-8
51. Roemer FW, Eckstein F, Guermazi A. Magnetic resonance imaging-based semiquantitative and quantitative assessment in osteoarthritis. *Rheum Dis Clin North Am*. 2009;35(3):521-55
52. Sohaskey ML, Jiang Y, Zhao JJ, Mohr A, Roemer FW, Harland RM. Osteopotential regulates osteoblast maturation, bone formation, and skeletal integrity in mice. *J Cell Biol* 2010;189(3):511-25
53. Englund M, Guermazi A, Roemer FW, Yang M, Zhang Y, Nevitt MC, Lynch JA, Lewis CE, Torner J, Felson DT. Meniscal pathology on MRI increases the risk for both incident and enlarging subchondral bone marrow lesions of the knee: the MOST Study. *Ann Rheum Dis*. *Ann Rheum Dis* 2010;69(10):1796-802
54. Stefanik JJ, Zhu Y, Zumwalt AC, Gross KD, Clancy M, Lynch JA, Law LA, Lewis CE, Roemer FW, Powers CM, Guermazi A, Felson DT. Association between patella alta and the prevalence and worsening of structural features of patellofemoral joint osteoarthritis: The multicenter osteoarthritis study. *Arthritis Care Res (Hoboken)* 2010;62(9):1258-65.
55. Roemer FW, Khad H, Hayashi D, Jara H, Ozonoff A, Fotinos-Hoyer AK, Guermazi A. Volumetric and semiquantitative assessment of MRI-detected subchondral bone marrow lesions in knee osteoarthritis: a comparison of contrast-enhanced and non-enhanced imaging. *Osteoarthritis Cartilage* 2010;18(8):1062-6
56. Winterstein AR, Bohndorf K, Vollert K, Wagner T, Gnekow A, Roemer FW. Invasive aspergillosis osteomyelitis in children--a case report and review of the literature. *Skeletal Radiol* 2010;39:827-31
57. Crema MD, Roemer FW, Zhu Y, Marra MD, Niu J, Zhang Y, Lynch JA, Javaid MK, Lewis CE, El-Khoury GY, Felson DT, Guermazi A. Radiology. Subchondral Cystlike Lesions Develop Longitudinally in Areas of Bone Marrow Edema-like Lesions in Patients with or at Risk for Knee Osteoarthritis: Detection with MR Imaging--The MOST Study. *Radiology* 2010; 256(3):855-62
58. Fotinos-Hoyer AK, Guermazi A, Jara H, Eckstein F, Ozonoff A, Khad H, Norbash A, Bohndorf K, Roemer FW. Assessment of synovitis in the osteoarthritic knee: Comparison between manual segmentation, semiautomated segmentation, and semiquantitative assessment using contrast-enhanced fat-suppressed T(1)-weighted MRI. *Magn Reson Med* 2010;64:604-9
59. Lynch JA, Roemer FW, Nevitt MC, Felson DT, Niu J, Eaton CB, Guermazi A. Comparison of BLOKS and WORMS scoring systems Part I. Cross sectional comparison of methods to assess cartilage morphology, meniscal damage and bone marrow lesions on knee MRI: Data from the Osteoarthritis Initiative. *Osteoarthritis Cartilage* 2010;18(11):1393-401

60. Roemer FW, Kassim Javaid M, Guermazi A, Thomas M, Kiran A, Keen R, King L, Arden NK. Osteoarthritis Cartilage. 2010;18(10):1269-74. Anatomical distribution of synovitis in knee osteoarthritis and its association with joint effusion assessed on non-enhanced and contrast-enhanced MRI. Osteoarthritis Cartilage 2010;18(10):1269-74
61. Eckstein F, Yang M, Guermazi A, Roemer FW, Hudelmaier M, Picha K, Baribaud F, Wirth W, Felson DT. Reference values and Z-scores for subregional femorotibial cartilage thickness--results from a large population-based sample (Framingham) and comparison with the nonexposed Osteoarthritis Initiative reference cohort. Osteoarthritis Cartilage 2010;18(10):1275-83
62. Hayashi D, Roemer FW, Dhina Z, Kwok CK, Hannon MJ, Moore C, Guermazi A. Longitudinal assessment of cyst-like lesions of the knee and their relation to radiographic osteoarthritis and MRI-detected effusion and synovitis in patients with knee pain. Arthritis Res Ther 2010 Sep 15;12(5):R172
63. Felson DT, Lynch J, Guermazi A, Roemer FW, Niu J, McAlindon T, Nevitt MC. Comparison of BLOKS and WORMS scoring systems part II. Longitudinal assessment of knee MRIs for osteoarthritis and suggested approach based on their performance: data from the osteoarthritis initiative. Osteoarthritis Cartilage 2010;18(11):1402-7
64. Roemer FW, Kwok CK, Hannon MJ, Crema MD, Moore CE, Jakicic JM, Green SM, Guermazi A. Semiquantitative assessment of focal cartilage damage at 3T MRI: A comparative study of dual echo at steady state (DESS) and intermediate-weighted (IW) fat suppressed fast spin echo sequences. Eur J Radiol 2011;80(2):e126-31
65. Guermazi A, Hayashi D, Roemer FW, Niu J, Yang M, Lynch JA, Torner JC, Lewis CE, Sack B, Felson DT, Nevitt MC. Cyst-like lesions of the knee joint and their relation to incident knee pain and development of radiographic osteoarthritis: the MOST study. Osteoarthritis Cartilage 2010;18(11):1386-92
66. Hayashi D, Roemer FW, Guermazi A. Choice of pulse sequences for MRI-based semiquantitative assessment of cartilage defects in osteoarthritis research: Comment on the article by Doré et al. Arthritis Rheum 2010;62(12):3830-1
67. Zhang Y, Nevitt M, Niu J, Lewis C, Torner J, Guermazi A, Roemer FW, McCulloch C, Felson D. Fluctuation of knee pain and changes in bone marrow lesions, effusions and synovitis on MRI: The MOST study. Arthritis Rheum 2011;63:691-9
68. Guermazi A, Roemer FW, Hayashi D, Crema MD, Niu J, Zhang Y, Marra MD, Katur A, Lynch JA, El-Khoury GY, Baker K, Hughes LB, Nevitt MC, Felson DT. Assessment of synovitis with contrast-enhanced MRI using a whole-joint semiquantitative scoring system in people with, or at high risk of, knee osteoarthritis: the MOST study. Ann Rheum Dis 2011;70(5):805-11
69. Roemer FW, Mohr A, Guermazi A, Jiang Y, Schlechtweg P, Genant HK, Sohaskey ML. Phenotypic characterization of skeletal abnormalities of Osteopotencia mutant mice by micro-CT: a descriptive approach with emphasis on reconstruction techniques. Skeletal Radiol 2011;40:1073-8

70. Gross KD, Felson DT, Niu J, Hunter DJ, Guermazi A, Roemer FW, Dufour AB, Gensure RH, Hannan MT. Association of flat feet with knee pain and cartilage damage in older adults. *Arthritis Care Res (Hoboken)* 2011;63:937-44
71. Crema MD, Roemer FW, Marra MD, Burstein D, Gold GE, Eckstein F, Baum T, Mosher TJ, Carrino JA, Guermazi A. Articular Cartilage in the Knee: Current MR Imaging Techniques and Applications in Clinical Practice and Research. *Radiographics* 2011;31(1):37-61
72. Hayashi D, Roemer FW, Katur A, Felson DT, Yang SO, Alomran F, Guermazi A. Imaging of Synovitis in Osteoarthritis: Current Status and Outlook. *Semin Arthritis Rheum* 2011;41(2):116-30
73. Hayashi D, Guermazi A, Crema MD, Roemer FW. Imaging in osteoarthritis: What have we learned and where are we going? *Minerva Med* 2011;102(1):15-32
74. Crema MD, Roemer FW, Hayashi D, Guermazi A. Comment on: Bone marrow lesions in people with knee osteoarthritis predict progression of disease and joint replacement: a longitudinal study. *Rheumatology (Oxford)* 2011;50(5):996-7
75. Crema MD, Roemer FW, Guermazi A. Magnetic Resonance Imaging in Knee Osteoarthritis Research: Semiquantitative and Compositional Assessment. *Magn Reson Imaging Clin N Am* 2011;19(2):295-321
76. Englund M, Felson DT, Guermazi A, Roemer FW, Wang K, Crema MD, Lynch JA, Sharma L, Segal NA, Lewis CE, Nevitt MC. Risk factors for medial meniscal pathology on knee MRI in older US adults: a multicentre prospective cohort study. *Ann Rheum Dis* 2011;70(10):1733-9
77. Hunter DJ, Guermazi A, Lo GH, Grainger AJ, Conaghan PG, Boudreau RM, Roemer FW. Evolution of semi-quantitative whole joint assessment of knee OA: MOAKS (MRI Osteoarthritis Knee Score). *Osteoarthritis Cartilage* 2011;19(8):990-1002
78. Hunter DJ, Arden N, Conaghan PG, Eckstein F, Gold G, Grainger A, Guermazi A, Harvey W, Jones G, Hellio Le Graverand MP, Laredo JD, Lo G, Losina E, Mosher TJ, Roemer FW, Zhang W; on behalf of the OARSI OA Imaging Working Group. Definition of osteoarthritis on MRI: results of a Delphi exercise. *Osteoarthritis Cartilage* 2011;19(8):963-9
79. Habib S, Guermazi A, Ozonoff A, Hayashi D, Crema MD, Roemer FW. MRI-based volumetric assessment of joint effusion in knee osteoarthritis using proton density-weighted fatsuppressed and T1-weighted contrast-enhanced fat-suppressed sequences. *Skeletal Radiol* 2011;40(12):1581-5
80. Crema MD, Hunter DJ, Roemer FW, Li L, Marra MD, Nogueira-Barbosa MH, Hellio Le Graverand MP, Wyman BT, Guermazi A. The relationship between prevalent medial meniscal intrasubstance signal changes and incident medial meniscal tears in women over a 1-year period assessed with 3.0 T MRI. *Skeletal Radiol* 2011;40:1017-23
81. Roemer FW, Hunter DJ, Winterstein A, Li L, Kim YJ, Cibere J, Mamisch TC, Guermazi A. Hip Osteoarthritis MRI Scoring System (HOAMS): reliability and associations with radiographic and clinical findings. *Osteoarthritis Cartilage* 2011;19(8):946-62

82. Crema MD, Roemer FW, Hayashi D, Guermazi A. Comment on: Bone marrow lesions in people with knee osteoarthritis predict progression of disease and joint replacement: a longitudinal study. *Rheumatology (Oxford)* 2011;50(5):996-7
83. Stefanik JJ, Roemer FW, Zumwalt AC, Zhu Y, Gross KD, Lynch JA, Frey-Law LA, Lewis CE, Guermazi A, Powers CM, Felson DT. Association between measures of trochlear morphology and structural features of patellofemoral joint osteoarthritis on MRI: The MOST Study. *J Orthop Res* 2012;30(1):1-8
84. Stefanik JJ, Guermazi A, Zhu Y, Zumwalt AC, Gross KD, Clancy M, Lynch JA, Segal NA, Lewis CE, Roemer FW, Powers CM, Felson DT. Quadriceps weakness, patella alta and structural features of patellofemoral osteoarthritis: The multicenter osteoarthritis study. *Arthritis Care Res (Hoboken)* 2011;63(10):1391-7
85. Roemer FW, Guermazi A, Felson DT, Niu J, Nevitt MC, Crema MD, Lynch JA, Lewis CE, Torner J, Zhang Y. Presence of MRI-detected joint effusion and synovitis increases the risk of cartilage loss in knees without osteoarthritis at 30-month follow-up: the MOST study. *Ann Rheum Dis* 2011;70:1804-9
86. Roemer FW, Crema MD, Trattnig S, Guermazi A. Advances in imaging of osteoarthritis and cartilage. *Radiology* 2011;260(2):332-54
87. Guermazi A, Roemer FW, Hayashi D. Imaging of osteoarthritis: update from a radiological perspective. *Curr Opin Rheumatol. Curr Opin Rheumatol* 2011;23(5):484-91
88. Gross KD, Felson DT, Niu J, Hunter DJ, Guermazi A, Roemer FW, Dufour AB, Gensure RH, Hannan MT. Association of flat feet with knee pain and cartilage damage in older adults. *Arthritis Care Res (Hoboken)* 2011;63(7):937-44
89. Crema MD, Guermazi A, Sayre EC, Roemer FW, Wong H, Thorne A, Singer J, Esdaile JM, Marra MD, Kopec JA, Nicolaou S, Cibere J. The association of magnetic resonance imaging (MRI)-detected structural pathology of the knee with crepitus in a population-based cohort with knee pain: the MoDEKO study. *Osteoarthritis Cartilage* 2011;19(12):1429-32
90. Hayashi D, Guermazi A, Kwok CK, Hannon MJ, Moore C, Jakicic JM, Green SM, Roemer FW. Semiquantitative assessment of subchondral bone marrow edema-like lesions and subchondral cysts of the knee at 3T MRI: A comparison between intermediate-weighted fatsuppressed spin echo and Dual Echo Steady State sequences. *BMC Musculoskelet Disord* 2011 Sep 9;12:198
91. Guermazi A, Roemer FW, Burstein D, Hayashi D. Why radiography should no longer be considered a surrogate outcome measure for longitudinal assessment of cartilage in knee osteoarthritis. *Arthritis Res Ther* 2011;13(6):247.
92. Roemer FW, Guermazi A, Niu J, Zhang Y, Mohr A, Felson DT. Prevalence of MRI-defined atrophic and hypertrophic phenotypes of knee osteoarthritis in a population-based cohort. *Arthritis Rheum* 2012;64(2):429-37

93. Gibson N, Guermazi A, Clancy M, Niu J, Grayson P, Aliabadi P, Roemer FW, Felson DT. Relation of Hand Enthesophytes with Knee Enthesopathy: Is Osteoarthritis Related to a Systemic Enthesopathy? *J Rheumatol* 2012;39(2):359-64
94. Roemer FW, Kwok CK, Hannon MJ, Green SM, Jakicic JM, Boudreau R, Crema MD, Moore CE, Guermazi A. Risk factors for MRI-detected patello-femoral and tibio-femoral cartilage loss during a 6-month period: The JOG study. *Arthritis Rheum.* 2012;64(6):1888-98.
95. Baker KR, Matthan NR, Lichtenstein A, Niu J, Guermazi A, Roemer FW, Grainger A, Nevitt M, Clancy M, Lewis CE, Torner J, Felson DT. Association of plasma n-6 and n-3 polyunsaturated fatty acids with synovitis in the knee: the MOST study. *Osteoarthritis Cartilage* 2012;20(5):382-7
96. Hayashi D, Roemer FW, Guermazi A. Osteoarthritis year 2011 in review: imaging in OA - a radiologists' perspective. *Osteoarthritis Cartilage* 2012;20(3):207-14
97. Hayashi D, Xu L, Roemer FW, Hunter DJ, Li L, Katur AM, Guermazi A. Detection of osteophytes and subchondral cysts in the knee with use of tomosynthesis. *Radiology* 2012;263(1):206-15.
98. Xu L, Hayashi D, Roemer FW, Felson DT, Guermazi A. Magnetic Resonance Imaging of Subchondral Bone Marrow Lesions in Association with Osteoarthritis. *Semin Arthritis Rheum* 2012;42(2):105-18
99. Gross KD, Niu J, Stefanik JJ, Guermazi A, Roemer FW, Sharma L, Nevitt MC, Segal NA, Lewis CE, Felson DT. Breaking the Law of Valgus: the surprising and unexplained prevalence of medial patellofemoral cartilage damage. *Ann Rheum Dis* 2012;71(11):1827-32
100. Sharma L, Chmiel JS, Almagor O, Felson D, Guermazi A, Roemer FW, Lewis CE, Segal N, Torner J, Cooke TD, Hietpas J, Lynch J, Nevitt M. The role of varus and valgus alignment in the initial development of knee cartilage damage by MRI: the MOST study. *Ann Rheum Dis* 2013;72(2):235-40. doi: 10.1136/annrheumdis-2011-201070
101. Rohlf AK, Burger R, Viebahn C, Held P, Woenckhaus M, Roemer FW, Strutz J. Uncommon Lesions in the Internal Auditory Canal (IAC): Review of the Literature and Case Report. *J Neurol Surg A Cent Eur Neurosurg.* 2012;73:160-6
102. Cotofana S, Buck R, Wirth W, Roemer FW, Duryea J, Nevitt M, Eckstein F; for the OA Initiative investigators Group. Cartilage thickening in early radiographic human knee osteoarthritis - within-person, between-knee comparison. *Arthritis Care Res (Hoboken)* 2012;64(11):1681-90
103. Englund M, Roemer FW, Hayashi D, Crema MD, Guermazi A. Meniscus pathology, osteoarthritis and the treatment controversy. *Nat Rev Rheumatol* 2012;8(7):412-9.
104. Haugen IK, Felson DT, Englund M, Wang K, Aliabadi P, Guermazi A, Roemer FW, Neogi T. The association between erosive hand osteoarthritis and subchondral bone attrition of the knee: the Framingham Osteoarthritis Study. *Ann Rheum Dis* 2012;71(10):1698-701

105. Guermazi A, Vanel D, Rajhi H, Mnif N, Roemer FW. The international skeletal society outreach programme in Tunisia 2011. *Skeletal Radiol.* 2012 Jun 28. [Epub ahead of print]
106. ayashi D, Roemer FW, Mian A, Gharaibeh M, Müller B, Guermazi A. Imaging features of postoperative complications after spinal surgery and instrumentation. *AJR Am J Roentgenol* 2012;199(1):W123-9.
107. Crema MD, Roemer FW, Felson DT, Englund M, Wang K, Jarraya M, Nevitt MC, Marra MD, Torner JC, Lewis CE, Guermazi A. Factors Associated with Meniscal Extrusion in Knees with or at Risk for Osteoarthritis: The Multicenter Osteoarthritis Study. *Radiology* 2012;264(2):494-503
108. Crema MD, Zentner J, Guermazi A, Jomaah N, Marra MD, Roemer FW. Scapholunate Advanced Collapse and Scaphoid Nonunion Advanced Collapse: MDCT Arthrography Features. *AJR Am J Roentgenol* 2012;199(2):W202-7.
109. Roemer FW, Guermazi A. Osteoarthritis year 2012 in review: Imaging. *Osteoarthritis Cartilage.* *Osteoarthritis Cartilage* 2012;20(12):1440-6
110. Roemer FW, Nevitt MC, Felson DT, Niu J, Lynch JA, Crema MD, Lewis CE, Torner J, Guermazi A. Predictive validity of within-grade scoring of longitudinal changes of MRI-based cartilage morphology and bone marrow lesion assessment in the tibio-femoral joint - the MOST Study. *Osteoarthritis Cartilage* 2012;20:1391-8
111. Katz JN, Chaisson CE, Cole B, Guermazi A, Hunter DJ, Jones M, Levy BA, Mandl LA, Martin S, Marx RG, Safran-Norton C, Roemer FW, Skoniecki D, Solomon DH, Spindler KP, Wright J, Wright RW, Losina E. The MeTeOR Trial (Meniscal Tear in Osteoarthritis Research): Rationale and design features. *Contemp Clin Trials* 2012;33:1189-1196
112. Guermazi A, Niu J, Hayashi D, Roemer FW, Englund M, Neogi T, Aliabadi P, McLennan CE, Felson DT. Prevalence of abnormalities in knees detected by MRI in adults without knee osteoarthritis: population based observational study (Framingham Osteoarthritis Study). *BMJ.* 2012 Aug 29;345:e5339.
113. Hayashi D, Hamilton B, Guermazi A, de Villiers R, Crema MD, Roemer FW. Traumatic injuries of thigh and calf muscles in athletes: role and clinical relevance of MR imaging and ultrasound. *Insights Imaging* 2012;3(6):591-601.
114. Roemer FW, Felson DT, Wang K, Crema MD, Neogi T, Zhang Y, Nevitt MC, Marra MD, Lewis CE, Torner J, Guermazi A; for MOST study investigators. Co-localisation of noncartilaginous articular pathology increases risk of cartilage loss in the tibiofemoral joint--the MOST study. *Ann Rheum Dis* 2013;72(6):942-8.
115. Hayashi D, Englund M, Roemer FW, Niu J, Sharma L, Felson DT, Crema MD, Marra MD, Segal NA, Lewis CE, Nevitt MC, Guermazi A. Knee malalignment is associated with an increased risk for incident and enlarging bone marrow lesions in the more loaded compartments: the MOST study. *Osteoarthritis Cartilage* 2012;20:1227-33

116. Frobell RB, Roos HP, Roos EM, Roemer FW, Ranstam J, Lohmander LS. Treatment for acute anterior cruciate ligament tear: five year outcome of randomised trial. *BMJ*. 2013 Jan 24;346:f232 doi: 10.1136/bmj.f232.
117. Guermazi A, Roemer FW, Haugen IK, Crema MD, Hayashi D. MRI-based semiquantitative scoring of joint pathology in osteoarthritis. *Nat Rev Rheumatol* 2013;9(4):236-51.
118. Riordan EA, Frobell RB, Roemer FW, Hunter DJ. The health and structural consequences of acute knee injuries involving rupture of the anterior cruciate ligament. *Rheum Dis Clin North Am*. 2013;39(1):107-22.
119. Guermazi A, Hayashi D, Eckstein F, Hunter DJ, Duryea J, Roemer FW. Imaging of osteoarthritis. *Rheum Dis Clin North Am* 2013;39(1):67-105.
120. Crema MD, Felson DT, Roemer FW, Niu J, Marra MD, Zhang Y, Lynch JA, El-Khoury GY, Lewis CE, Guermazi A. Peripatellar synovitis: comparison between non-contrast-enhanced and contrast-enhanced MRI and association with pain. The MOST study. *Osteoarthritis Cartilage*. 2013;21(3):413-8.
121. Crema MD, Nogueira-Barbosa MH, Roemer FW, Marra MD, Niu J, Chagas-Neto FA, Gregio-Junior E, Guermazi A. Three-dimensional turbo spin-echo magnetic resonance imaging (MRI) and semiquantitative assessment of knee osteoarthritis: comparison with twodimensional routine MRI. *Osteoarthritis Cartilage*. 2013;21(3):428-33.
122. Roemer FW, Felson DT, Yang T, Niu J, Crema MD, Englund M, Nevitt MC, Zhang Y, Lynch JA, El Khoury GY, Torner J, Lewis CE, Guermazi A. The association between meniscal damage of the posterior horns and localized posterior synovitis detected on T1-weighted contrast-enhanced MRI-the MOST study. *Semin Arthritis Rheum*. 2013;42(6):573-81.
123. Hayashi D, Guermazi A, Roemer FW. MRI of osteoarthritis: the challenges of definition and quantification. *Semin Musculoskelet Radiol* 2012;16:419-30
124. Felson DT, Niu J, Gross KD, Englund M, Sharma L, Cooke TD, Guermazi A, Roemer FW, Segal N, Goggins JM, Lewis CE, Eaton C, Nevitt MC. Valgus malalignment is a risk factor for lateral knee osteoarthritis incidence and progression: Findings from the multicenter osteoarthritis study and the osteoarthritis initiative. *Arthritis Rheum*. 2013;65(2):355-62.
125. Crema MD, Felson DT, Roemer FW, Wang K, Marra MD, Nevitt MC, Lynch JA, Torner J, Lewis CE, Guermazi A. Prevalent cartilage damage and cartilage loss over time are associated with incident bone marrow lesions in the tibiofemoral compartments: the MOST study. *Osteoarthritis Cartilage*. 2013;21(2):306-13.
126. Guermazi A, Hayashi D, Roemer FW, Felson DT. Osteoarthritis: a review of strengths and weaknesses of different imaging options. *Rheum Dis Clin North Am* 2013;39(3):567-91.
127. Guermazi A, Hayashi D, Jarraya M, Roemer FW, Zhang Y, Niu J, Crema MD, Englund M, Lynch JA, Nevitt MC, Torner JC, Lewis CE, Felson DT. Medial Posterior Meniscal Root Tears Are Associated with Development or Worsening of Medial Tibiofemoral Cartilage Damage: The Multicenter Osteoarthritis Study. *Radiology*. 2013;268(3):814-21.

128. Jarraya M, Hayashi D, Roemer FW, Crema MD, Diaz L, Conlin J, Marra MD, Jomaah N, Guermazi A. Radiographically occult and subtle fractures: a pictorial review. *Radiol Res Pract.* 2013;370169. doi: 10.1155/2013/370169.
129. Rohlf AK, Goodyer E, Clauditz T, Hess M, Kob M, Koops S, Püschel K, Roemer FW, Müller F. The anisotropic nature of the human vocal fold: an ex vivo study. *Eur Arch Otorhinolaryngol.* 2013 May;270(6):1885-95. doi: 10.1007/s00405-013-2428-x.
130. Stefanik JJ, Niu J, Gross KD, Roemer FW, Guermazi A, Felson DT. Using magnetic resonance imaging to determine the compartmental prevalence of knee joint structural damage. *Osteoarthritis Cartilage.* 2013;21(5):695-9.
131. Xu L, Hayashi D, Guermazi A, Hunter DJ, Li L, Winterstein A, Bohndorf K, Roemer FW. The diagnostic performance of radiography for detection of osteoarthritis-associated features compared with MRI in hip joints with chronic pain. *Skeletal Radiol.* 2013;42(10):1421-8.
132. Guermazi A, Roemer FW, Felson DT. Unresolved questions in rheumatology: motion for debate: osteoarthritis clinical trials have not identified efficacious therapies because traditional imaging outcome measures are inadequate. *Arthritis Rheum.* 2013;65(11):2748-58.
133. Pelletier JP, Cooper C, Peterfy C, Reginster JY, Brandi ML, Bruyère O, Chapurlat R, Cicuttini F, Conaghan PG, Doherty M, Genant H, Giacobelli G, Hochberg MC, Hunter DJ, Kanis JA, Kloppenburg M, Laredo JD, McAlindon T, Nevitt M, Raynauld JP, Rizzoli R, Zilkens C, Roemer FW, Martel-Pelletier J, Guermazi A. What is the predictive value of MRI for the occurrence of knee replacement surgery in knee osteoarthritis? *Ann Rheum Dis.* 2013;72(10):1594-604.
134. Crema MD, Hunter DJ, Burstein D, Roemer FW, Li L, Eckstein F, Krishnan N, Hellio Le-Graverand MP, Guermazi A. Association of changes in delayed gadolinium-enhanced MRI of cartilage (dGEMRIC) with changes in cartilage thickness in the medial tibiofemoral compartment of the knee: a 2 year follow-up study using 3.0 T MRI. *Ann Rheum Dis.* 2013 Jul 19. doi: 10.1136/annrheumdis-2012-203083. [Epub ahead of print]
135. Hayashi D, Roemer FW, Kohler R, Guermazi A, Gebers C, De Villiers R. Thoracic injuries in professional rugby players: mechanisms of injury and imaging characteristics. *Br J Sports Med.* 2014 ;48(14):1097-101.
136. Hunter DJ, Guermazi A, Roemer FW, Zhang Y, Neogi T. Structural correlates of pain in joints with osteoarthritis. *Osteoarthritis Cartilage.* 2013;21(9):1170-8.
137. Nwawka OK, Hayashi D, Diaz LE, Goud AR, Arndt WF 3rd, Roemer FW, Malguria N, Guermazi A. Sesamoids and accessory ossicles of the foot: anatomical variability and related pathology. *Insights Imaging.* 2013;4(5):581-93.
138. Cotofana S, Buck R, Dreher D, Wirth W, Roemer FW, Duryea J, Nevitt M, Eckstein F; for the Osteoarthritis Initiative Investigators. Longitudinal (1-year) change in cartilage thickness in knees with early knee osteoarthritis: A within-person between-knee comparison-data from the OAI. *Arthritis Care Res (Hoboken).* 2013 Sep 19. doi: 10.1002/acr.22172. [Epub ahead of print]

139. Hayashi D, Xu L, Guermazi A, Kwok CK, Hannon MJ, Jarraya M, Green SM, Jakicic JM, Moore CE, Roemer FW. Prevalence of MRI-detected mediopatellar plica in subjects with knee pain and the association with MRI-detected patellofemoral cartilage damage and bone marrow lesions: data from the Joints On Glucosamine study. *BMC Musculoskelet Disord*. 2013;14:292. doi: 10.1186/1471-2474-14-292.
140. Hayashi D, Felson DT, Niu J, Hunter DJ, Roemer FW, Aliabadi P, Guermazi A. Preradiographic osteoarthritic changes are highly prevalent in the medial patella and medial posterior femur in older persons: Framingham OA study. *Osteoarthritis Cartilage*. 2014;22(1):76-83.
141. Jaremko JL, Lambert RG, Zubler V, Weber U, Loeuille D, Roemer FW, Cibere J, Pianta M, Gracey D, Conaghan P, Ostergaard M, Maksymowych WP. Methodologies for Semiquantitative Evaluation of Hip Osteoarthritis by Magnetic Resonance Imaging: Approaches Based on the Whole Organ and Focused on Active Lesions. *J Rheumatol*. *J Rheumatol*. 2014;41(2):359-69.
142. Maksymowych WP, Cibere J, Loeuille D, Weber U, Zubler V, Roemer FW, Jaremko JL, Sayre EC, Lambert RG. Preliminary Validation of 2 Magnetic Resonance Image Scoring Systems for Osteoarthritis of the Hip According to the OMERACT Filter. *J Rheumatol*. 2014;41(2):370-8
143. Roemer FW, Guermazi A, Trattng S, Apprich S, Marlovits S, Niu J, Hunter DJ, Welsch GH. Whole joint MRI assessment of surgical cartilage repair of the knee: Cartilage Repair OsteoArthritis Knee Score (CROAKS).*Osteoarthritis Cartilage*. 2014;22(6):779-99.
144. Roemer FW, Frobell R, Lohmander LS, Niu J, Guermazi A. Anterior Cruciate Ligament OsteoArthritis Score (ACLOAS): longitudinal MRI-based whole joint assessment of anterior cruciate ligament injury. *Osteoarthritis Cartilage*. 2014 2014;22(5):668-82.
145. Kwok CK, Roemer FW, Hannon MJ, Moore CE, Jakicic JM, Guermazi A, Green SM, Evans RW, Boudreau R. Effect of oral glucosamine on joint structure in individuals with chronic knee pain: a randomized, placebo-controlled clinical trial.*Arthritis Rheumatol*. 2014;66(4):930-9.
146. Crema MD, Hunter DJ, Burstein D, Roemer FW, Li L, Krishnan N, Marra MD, Hellio Le-Graverand MP, Guermazi A. Delayed gadolinium-enhanced MRI of medial tibiofemoral cartilage and its relationship with meniscal pathology: A longitudinal study using 3.0T MRI. *Arthritis Rheumatol*. 2014;66(6):1517-24
147. Crema MD, Cibere J, Sayre EC, Roemer FW, Wong H, Thorne A, Singer J, Esdaile JM, Marra MD, Kopec JA, Nicolaou S, Guermazi A. The relationship between subchondral sclerosis detected with MRI and cartilage loss in a cohort of subjects with knee pain: the knee osteoarthritis progression (KOAP) study.*Osteoarthritis Cartilage*. 2014;22(4):540-6.
148. Guermazi A, Hayashi D, Roemer FW, Zhu Y, Niu J, Crema MD, Javaid MK, Marra MD, Lynch JA, El-Khoury GY, Zhang Y, Nevitt MC, Felson DT. Synovitis in Knee Osteoarthritis Assessed by Contrast-enhanced Magnetic Resonance Imaging (MRI) is Associated with Radiographic Tibiofemoral Osteoarthritis and MRI-detected Widespread Cartilage Damage: The MOST Study.*J Rheumatol*. 2014;41(3):501-8.

149. Sharma L, Chmiel JS, Almagor O, Dunlop D, Guermazi A, Bathon J, Eaton C, Hochberg M, Jackson R, Kwok K, Mysiw WJ, Crema M, Roemer FW, Nevitt M. Significance of pre-radiographic MRI lesions in persons at higher risk for knee osteoarthritis. *Arthritis Rheumatol.* 2014;66(7):1811-9
150. Zhang Y, Neogi T, Hunter D, Roemer FW, Niu J. What effect is really being measured? An alternative explanation of paradoxical phenomena in studies of osteoarthritis progression. *Arthritis Care Res (Hoboken).* 2014;66(5):658-61.
151. Guermazi A, Jomaah N, Hayashi D, Jarraya M, Silva JR Jr, Niu J, Almusa E, Landreau P, Roemer FW. MR arthrography of the shoulder: optimizing pulse sequence protocols for the evaluation of cartilage and labrum. *Eur J Radiol.* 2014 ;83(8):1421-8.
152. Hayashi D, Xu L, Gusenburg J, Roemer FW, Hunter DJ, Li L, Guermazi A. Reliability of semiquantitative assessment of osteophytes and subchondral cysts on tomosynthesis images by radiologists with different levels of expertise. *Diagn Interv Radiol.* 2014;20(4):353-9.
153. Jarraya M, Hayashi D, Guermazi A, Kwok CK, Hannon MJ, Moore CE, Jakicic JM, Green SM, Roemer FW. Susceptibility artifacts detected on 3T MRI of the knee: frequency, change over time and associations with radiographic findings: data from the Joints on Glucosamine Study. *Osteoarthritis Cartilage.* 2014 Oct;22(10):1499-503. doi: 10.1016/j.joca.2014.04.014. Epub 2014 May 4.
154. Roemer FW, Eckstein F, Hayashi D, Guermazi A. The role of imaging in osteoarthritis. *Best Pract Res Clin Rheumatol.* 2014;28(1):31-60.
155. Eckstein F, Boudreau RM, Wang Z, Hannon MJ, Wirth W, Cotofana S, Guermazi A, Roemer FW, Nevitt M, John MR, Ladel C, Sharma L, Hunter DJ, Kwok CK; for the OAI investigators. Trajectory of cartilage loss within 4 years of knee replacement - a nested casecontrol study from the Osteoarthritis Initiative. *Osteoarthritis Cartilage.* 2014 Oct;22(10):1542-9. doi: 10.1016/j.joca.2014.04.016. Epub 2014 Apr 30.
156. Roemer FW, Jomaah N, Niu J, Almusa E, Roger B, D'Hooghe P, Geertsema C, Tol JL, Khan K, Guermazi A. Ligamentous Injuries and the Risk of Associated Tissue Damage in Acute Ankle Sprains in Athletes: A Cross-sectional MRI Study. *Am J Sports Med.* 2014;42(7):1549-1557.
157. Jarraya M, Hayashi D, de Villiers RV, Roemer FW, Murakami AM, Cossi A, Guermazi A. Multimodality imaging of foreign bodies of the musculoskeletal system. *AJR Am J Roentgenol.* 2014;203(1):W92-102.
158. Cherry L, King L, Thomas M, Roemer FW, Culliford D, Bowen CJ, Arden NK, Edwards CJ. The reliability of a novel magnetic resonance imaging-based tool for the evaluation of forefoot bursae in patients with rheumatoid arthritis: the FFB score. *Rheumatology (Oxford).* 2014 Nov;53(11):2014-7. doi: 10.1093/rheumatology/keu232. Epub 2014 Jun 6.
159. Tischler BT, Diaz LE, Murakami AM, Roemer FW, Goud AR, Arndt WF 3rd, Guermazi A. Scapholunate advanced collapse: a pictorial review. *Insights Imaging.* 2014;5(4):407-17.

160. Brill R, Wohlgemuth WA, Hempfling H, Bohndorf K, Becker U, Welsch U, Kamp A, Roemer FW. Dynamic impact force and association with structural damage to the knee joint: An ex-vivo study. *Ann Anat.* 2014;196(6):456-63. doi: 10.1016/j.aanat.2014.07.007.
161. Sharma L, Chmiel JS, Almagor O, Dunlop D, Guermazi A, Bathon JM, Eaton CB, Hochberg MC, Jackson RD, Kwok CK, Mysiw WJ, Crema MD, Roemer FW, Nevitt MC. Significance of preradiographic magnetic resonance imaging lesions in persons at increased risk of knee osteoarthritis. *Arthritis Rheumatol.* 2014 Jul;66(7):1811-9. doi: 10.1002/art.38611
162. Stefanik JJ, Neogi T, Niu J, Roemer FW, Segal NA, Lewis CE, Nevitt M, Guermazi A, Felson DT. The diagnostic performance of anterior knee pain and activity-related pain in identifying knees with structural damage in the patellofemoral joint: the Multicenter Osteoarthritis Study. *J Rheumatol.* 2014;41(8):1695-702.
163. Atukorala I, Kwok CK, Guermazi A, Roemer FW, Boudreau RM, Hannon MJ, Hunter DJ. Synovitis in knee osteoarthritis: a precursor of disease? *Ann Rheum Dis.* 2016 Feb;75(2):390-5. doi: 10.1136/annrheumdis-2014-205894.
164. Roemer FW, Guermazi A. Osteoarthritis Year in Review 2014: imaging. *Osteoarthritis Cartilage.* 2014 Dec;22(12):2003-2012. doi: 10.1016/j.joca.2014.07.012. Epub 2014 Nov 22. Review.
165. Omoumi P, Michoux N, Thienpont E, Roemer FW, Vande Berg BC. Anatomical distribution of areas of preserved cartilage in advanced femorotibial osteoarthritis using CT arthrography (Part 1). *Osteoarthritis Cartilage.* 2015 Jan;23(1):83-7.
166. Omoumi P, Michoux N, Roemer FW, Thienpont E, Vande Berg BC. Cartilage thickness at the posterior medial femoral condyle is increased in femorotibial knee osteoarthritis: a cross-sectional CT arthrography study (Part 2). *Osteoarthritis Cartilage.* 2015 Feb;23(2):224-31
167. Melamud K, Drapé JL, Hayashi D, Roemer FW, Zentner J, Guermazi A. Diagnostic imaging of benign and malignant osseous tumors of the fingers. *Radiographics.* 2014 Nov-Dec;34(7):1954-67. doi: 10.1148/rg.347130031.
168. Alizai H, Roemer FW, Hayashi D, Crema MD, Felson DT, Guermazi A. An update on risk factors for cartilage loss in knee osteoarthritis assessed using MRI-based semiquantitative grading methods. *Eur Radiol* 2015 Mar;25(3):883-93. doi: 10.1007/s00330-014-3464-7. Epub 2014 Nov 7.
169. Crema MD, Nevitt MC, Guermazi A, Felson DT, Wang K, Lynch JA, Marra MD, Torner J, Lewis CE, Roemer FW. Progression of cartilage damage and meniscal pathology over 30 months is associated with an increase in radiographic tibiofemoral joint space narrowing in persons with knee OA--the MOST study. *Osteoarthritis Cartilage.* 2014 Oct;22(10):1743-7. doi: 10.1016/j.joca.2014.07.008.
170. Ruhdorfer AS, Dannhauer T, Wirth W, Cotofana S, Roemer FW, Nevitt M, Eckstein F; OAI investigators. Thigh muscle cross-sectional areas and strength in knees with early vs knees without radiographic knee osteoarthritis: a between-knee, within-person comparison. *Osteoarthritis Cartilage.* 2014 Oct;22(10):1634-8. doi: 10.1016/j.joca.2014.06.002.

171. Guermazi A, Roemer FW, Crema MD, Englund M, Hayashi D. Imaging of nonosteochondral tissues in osteoarthritis. *Osteoarthritis Cartilage*. 2014 Oct;22(10):1590-605. doi: 10.1016/j.joca.2014.05.001.
172. Kijowski R, Roemer FW, Englund M, Tiderius CJ, Swärd P, Frobell RB. Imaging following acute knee trauma. *Osteoarthritis Cartilage*. 2014 Oct;22(10):1429-43. doi: 10.1016/j.joca.2014.06.024
173. Hunter DJ, Roemer FW, Mosher TJ. A special Osteoarthritis and Cartilage issue on imaging in osteoarthritis. *Osteoarthritis Cartilage*. 2014 Oct;22(10):1347-8. doi: 10.1016/j.joca.2014.06.009.
174. Roemer FW, Jarraya M, Niu J, Silva JR, Frobell R, Guermazi A. Increased risk for radiographic osteoarthritis features in young active athletes: a cross-sectional matched casecontrol study. *Osteoarthritis Cartilage* 2015;23(2):239-43. doi: 10.1016/j.joca.2014.11.011.
175. Stefanik JJ, Gross KD, Guermazi A, Felson DT, Roemer FW, Zhang Y, Niu J, Segal NA, Lewis CE, Nevitt M, Neogi T. The relation of MRI-detected structural damage in the medial and lateral patellofemoral joint to knee pain: The Multicenter and Framingham Osteoarthritis Studies. *Osteoarthritis Cartilage*. 2015 Apr;23(4):565-70. doi: 10.1016/j.joca.2014.12.023. Epub 2015 Jan 7.
176. Roemer FW, Hayes CW, Miller CG, Hoover K, Guermazi A. Imaging atlas for eligibility and on-study safety of potential shoulder adverse events in anti-NGF studies (Part 3). *Osteoarthritis Cartilage*. 2015 Jan;23 Suppl 1:S59-68. doi: 10.1016/j.joca.2014.09.018.
177. Roemer FW, Hayes CW, Miller CG, Hoover K, Guermazi A. Imaging atlas for eligibility and on-study safety of potential hip adverse events in anti-NGF studies (Part 2). *Osteoarthritis Cartilage*. 2015 Jan;23 Suppl 1:S43-58. doi: 10.1016/j.joca.2014.09.014
178. Miller CG, Guermazi A, Roemer FW. The current status of imaging in anti-NGF clinical trials. *Osteoarthritis Cartilage*. 2015 Jan;23 Suppl 1:S3-7. doi: 10.1016/j.joca.2014.09.002.
179. Roemer FW, Hayes CW, Miller CG, Hoover K, Guermazi A. Imaging atlas for eligibility and on-study safety of potential knee adverse events in anti-NGF studies (Part 1). *Osteoarthritis Cartilage*. 2015 Jan;23 Suppl 1:S22-42. doi: 10.1016/j.joca.2014.09.015.
180. Roemer FW, Kwok CK, Hannon MJ, Hunter DJ, Eckstein F, Wang Z, Boudreau RM, John MR, Nevitt MC, Guermazi A. Can Structural Joint Damage Measured with MR Imaging Be Used to Predict Knee Replacement in the Following Year? *Radiology* 2015;274(3):810-20
181. Seifarth A, Roemer F. [Systematics of glenohumeral and acromioclavicular arthritis.] [Article in German] *Radiologe*. 2015 Mar;55(3):231-40. doi: 10.1007/s00117-014-2787-3.
182. Guermazi A, Eckstein F, Hunter D, Roemer FW. 7th International Workshop on Osteoarthritis Imaging Report: "Imaging in OA - Now is the Time to Move Ahead"¹¹ *Osteoarthritis Cartilage*. 2015 Jun;23(6):888-96. doi: 10.1016/j.joca.2015.02.004. Epub 2015 Feb 9.

183. Roemer FW, Jarraya M, Kwoh CK, Hannon MJ, Boudreau RM, Green SM, Jakicic JM, Moore C, Guermazi A. Brief Report: Symmetricity of radiographic and MRI-detected structural joint damage in persons with knee pain - the Joints on Glucosamine (JOG) Study. *Osteoarthritis Cartilage* 2015;23(8):1343-7 pii: S1063-4584(15)00213-7. doi: 10.1016/j.joca.2015.02.169. [Epub ahead of print]
184. Johnson VL, Kwoh CK, Guermazi A, Roemer FW, Boudreau RM, Fujii T, Hannon MJ, Hunter DJ. Loss of anterior cruciate ligament integrity and the development of radiographic knee osteoarthritis: a sub-study of the osteoarthritis initiative. *Osteoarthritis Cartilage*. 2015 Jun;23(6):882-7. doi: 10.1016/j.joca.2015.02.001. Epub 2015 Feb 28.
185. Nogueira-Barbosa MH, Gregio-Junior E, Lorenzato MM, Guermazi A, Roemer FW, Chagas-Neto FA, Crema MD. Ultrasound assessment of medial meniscal extrusion: a validation study using MRI as reference standard. *AJR Am J Roentgenol*. 2015 Mar;204(3):584-8. doi: 10.2214/AJR.14.12522.
186. Crema MD, Yamada AF, Guermazi A, Roemer FW, Skaf AY. Imaging techniques for muscle injury in sports medicine and clinical relevance. *Curr Rev Musculoskelet Med*. 2015 Jun;8(2):154-61. doi: 10.1007/s12178-015-9260-4.
187. Hunter DJ, Arden N, Cicuttini F, Crema MD, Dardzinski B, Duryea J, Guermazi A, Haugen IK, Kloppenburg M, Maheu E, Miller CG, Martel-Pelletier J, Ochoa-Albiztegui RE, Pelletier JP, Peterfy C, Roemer FW, Gold GE. OARSI Clinical Trials Recommendations: Hand imaging in clinical trials in osteoarthritis. *Osteoarthritis Cartilage*. 2015 May;23(5):732-746
188. Gold GE, Cicuttini F, Crema MD, Eckstein F, Guermazi A, Kijowski R, Link TM, Maheu E, Martel-Pelletier J, Miller CG, Pelletier JP, Peterfy CG, Potter HG, Roemer FW, Hunter DJ. OARSI Clinical Trials Recommendations: Hip imaging in clinical trials in osteoarthritis. *Osteoarthritis Cartilage*. 2015 May;23(5):716-731
189. Crema MD, Guermazi A, Tol JL, Niu J, Hamilton B, Roemer FW. Acute hamstring injury in football players: Association between anatomical location and extent of injury-A large single-center MRI report. *J Sci Med Sport*. 2016 Apr;19(4):317-22. doi: 10.1016/j.jsams.2015.04.005.
190. Hunter DJ, Altman RD, Cicuttini F, Crema MD, Duryea J, Eckstein F, Guermazi A, Kijowski R, Link TM, Martel-Pelletier J, Miller CG, Mosher TJ, Ochoa-Albiztegui RE, Pelletier JP, Peterfy C, Raynauld JP, Roemer FW, Totterman SM, Gold GE. OARSI Clinical Trials Recommendations: Knee imaging in clinical trials in osteoarthritis. *Osteoarthritis Cartilage*. 2015 May;23(5):698-715.
191. Roemer FW, Kwoh CK, Hannon MJ, Hunter DJ, Eckstein F, Fujii T, Boudreau RM, Guermazi A. What comes first? Multi-tissue involvement leading to radiographic osteoarthritis: MRI-based trajectory analysis over 4 years in the Osteoarthritis Initiative. *Arthritis Rheumatol*. 2015 May;67(8):2085-96. doi: 10.1002/art.39176.
192. Guermazi A, Hayashi D, Roemer FW, Felson DT, Wang K, Lynch J, Amin S, Torner J, Lewis CE, Nevitt MC. Severe radiographic knee osteoarthritis - does Kellgren and Lawrence grade 4 represent end stage disease? - the MOST study. *Osteoarthritis Cartilage*. 2015 Sep;23(9):1499-505. doi: 10.1016/j.joca.2015.04.018. Epub 2015 Apr 28

193. Frobell RB, Roos HP, Roos EM, Roemer FW, Ranstam J, Lohmander LS. Treatment for acute anterior cruciate ligament tear: five year outcome of randomised trial. *Br J Sports Med.* 2015 May;49(10):700. doi: 10.1136/bjsports-2014-f232rep.
194. Øiestad BE, Quinn E, White D, Roemer FW, Guermazi A, Nevitt M, Segal NA, Lewis CE, Felson DT. No Association between Daily Walking and Knee Structural Changes in People at Risk of or with Mild Knee Osteoarthritis. Prospective Data from the Multicenter Osteoarthritis Study. *J Rheumatol.* 2015 Sep;42(9):1685-93. doi: 10.3899/jrheum.150071. Epub 2015 Jun 15.
195. Guermazi A, Alizai H, Crema MD, Trattnig S, Regatte RR, Roemer FW. Compositional MRI techniques for evaluation of cartilage degeneration in osteoarthritis. *Osteoarthritis Cartilage.* 2015 Oct;23(10):1639-53. doi: 10.1016/j.joca.2015.05.026. Epub 2015 Jun 5.
196. Guermazi A, Eckstein F, Hayashi D, Roemer FW, Wirth W, Yang T, Niu J, Sharma L, Nevitt MC, Lewis CE, Torner J, Felson DT. Baseline radiographic osteoarthritis and semiquantitatively assessed meniscal damage and extrusion and cartilage damage on MRI is related to quantitatively defined cartilage thickness loss in knee osteoarthritis: The Multicenter Osteoarthritis Study. *Osteoarthritis Cartilage.* 2015 Dec;23(12):2191-8. doi: 10.1016/j.joca.2015.06.017. Epub 2015 Jul 8.
197. Roemer FW, Jarraya M, Niu J, Duryea J, Lynch JA, Guermazi A. Brief Report: Knee joint subchondral bone structure alterations in active athletes: a cross-sectional case-control study. *Osteoarthritis Cartilage.* 2015 Dec;23(12):2184-90. doi: 10.1016/j.joca.2015.07.002. Epub 2015 Jul 15.
198. Kumm J, Roemer FW, Guermazi A, Turkiewicz A, Englund M. Natural History of Intrameniscal Signal Intensity on Knee MR Images: Six Years of Data from the Osteoarthritis Initiative. *Radiology.* 2016 Jan;278(1):164-71. doi: 10.1148/radiol.2015142905. Epub 2015 Jul 14.
199. Hayashi D, Roemer FW, D'Hooghe P, Guermazi A. Posterior ankle impingement in athletes: Pathogenesis, imaging features and differential diagnoses. *Eur J Radiol* 2015 Nov;84(11):2231-41. doi: 10.1016/j.ejrad.2015.07.017. Epub 2015 Jul 17.
200. Atukorala I, Kwok CK, Guermazi A, Roemer FW, Boudreau R, Hannon MJ, Hunter DJ. Response to: 'Synovitis in knee osteoarthritis: a precursor or concomitant feature?' by Zeng et al. *Ann Rheum Dis.* 2015 Oct;74(10):e59. doi: 10.1136/annrheumdis-2015-207800. Epub 2015 Aug 7. No abstract available
201. Eckstein F, Collins JE, Nevitt MC, Lynch JA, Kraus V, Katz JN, Losina E, Wirth W, Guermazi A, Roemer FW, Hunter DJ, FNIH OA Biomarkers Consortium. Brief Report: Cartilage thickness change as an imaging biomarker of knee osteoarthritis progression - data from the fnih OA biomarkers consortium. *Arthritis Rheumatol.* 2015 Dec;67(12):3184-9. doi: 10.1002/art.39324.
202. Roemer FW, Hunter DJ, Crema MD, Kwok CK, Ochoa-Albiztegui E, Guermazi A. An illustrative overview of semi-quantitative MRI scoring of knee osteoarthritis: lessons learned from longitudinal observational studies. *Osteoarthritis Cartilage.* 2016 Feb;24(2):274-89. doi: 10.1016/j.joca.2015.08.011.

203. Englund M, Haugen IK, Guermazi A, Roemer FW, Niu J, Neogi T, Aliabadi P, Felson DT. Evidence that meniscus damage may be a component of osteoarthritis: the Framingham study. *Osteoarthritis Cartilage*. 2016 Feb;24(2):270-3. doi: 10.1016/j.joca.2015.08.005.
204. Jarraya M, Guermazi A, Niu J, Duryea J, Lynch JA, Roemer FW. Multi-dimensional reliability assessment of fractal signature analysis in an outpatient sports medicine population *Ann Anat*. 2015 Nov;202:57-60. doi: 10.1016/j.aanat.2015.07.006. Epub 2015 Aug 20.
205. Eckstein F, Boudreau R, Wang Z, Hannon MJ, Duryea J, Wirth W, Cotofana S, Guermazi A, Roemer FW, Nevitt M, John MR, Ladel C, Sharma L, Hunter DJ, Kwok CK; OAI Investigators. Comparison of radiographic joint space width and magnetic resonance imaging for prediction of knee replacement: A longitudinal case-control study from the Osteoarthritis Initiative. *Eur Radiol*. 2016 Jun;26(6):1942-51. doi: 10.1007/s00330-015-3977-8. Epub 2015 Sep 16.
206. Stefanik JJ, Gross KD, Guermazi A, Felson DT, Roemer FW, Niu J, Lynch JA, Segal NA, Lewis CE, Lewis CL. The relation of step length to MRI detected structural damage in the patellofemoral joint: The Multicenter Osteoarthritis Study. *Arthritis Care Res (Hoboken)*. 2016 Jun;68(6):776-83. doi: 10.1002/acr.22738.
207. Guermazi A, Roemer FW, Alizai H, Winalski CS, Welsch G, Brittberg M, Trattng S. State of the Art: MR Imaging after Knee Cartilage Repair Surgery. *Radiology*. 2015 Oct;277(1):23-43. doi: 10.1148/radiol.2015141146.
208. Niu J, Felson DT, Neogi T, Nevitt MC, Guermazi A, Roemer FW, Lewis CE, Torner J, Zhang Y. Patterns of Co-existing MRI lesions and incident knee osteoarthritis: The MOST Study. *Arthritis Rheumatol*. 2015 Dec;67(12):3158-65.
209. Emmanuel K, Quinn E, Niu J, Guermazi A, Roemer FW, Wirth W, Eckstein F, Felson D. Quantitative measures of meniscus extrusion predict incident radiographic knee osteoarthritis - data from the Osteoarthritis Initiative. *Osteoarthritis Cartilage*. 2016 Feb;24(2):262-9. doi: 10.1016/j.joca.2015.08.003.
210. Felson DT, Niu J, Neogi T, Goggins J, Nevitt MC, Roemer FW, Torner J, Lewis CE, Guermazi A; MOST investigators group. Synovitis and the risk of knee osteoarthritis: the most study. *Osteoarthritis Cartilage*. 2016 Mar;24(3):458-64. doi: 10.1016/j.joca.2015.09.013.
211. Hafezi-Nejad N, Guermazi A, Roemer FW, Eng J, Zikria B, Demehri S. Long term Use of Analgesics and Risk of Osteoarthritis Progressions and Knee Replacement: Propensity Score Matched Cohort Analysis of Data from the Osteoarthritis Initiative. *Osteoarthritis Cartilage*. 2016 Apr;24(4):597-604. doi: 10.1016/j.joca.2015.11.003.
212. Neogi T, Guermazi A, Roemer FW, Nevitt M, Scholz J, Arendt-Nielsen L, Woolf C, Niu J, Bradley LA, Quinn E, Frey Law L. Association of Joint Inflammation With Pain Sensitization in Knee Osteoarthritis: The Multicenter Osteoarthritis Study. *Arthritis Rheumatol*. 2016 Mar;68(3):654-61. doi: 10.1002/art.39488.
213. Guermazi A, Roemer FW. Compositional MRI assessment of cartilage: what is it and what is its potential for sports medicine? Guermazi A, Roemer FW. *Br J Sports Med*. 2016 Aug;50(15):896-7. doi: 10.1136/bjsports-2015-095146. No abstract available.

214. Roemer FW, Guermazi A. What is the role of 3T MRI in sports medicine? Revisiting the marriage after the honeymoon. Roemer FW, Guermazi A. *Br J Sports Med.* 2016 Aug;50(15):894-5. doi: 10.1136/bjsports-2015-095139. No abstract available.
215. Guermazi A, Crema MD, Roemer FW. *J Rheumatol.* Compositional Magnetic Resonance Imaging Measures of Cartilage--Endpoints for Clinical Trials of Disease-modifying Osteoarthritis Drugs? 2016 Jan;43(1):7-11. doi: 10.3899/jrheum.150663.
216. Hunter D, Nevitt M, Lynch J, Kraus VB, Katz JN, Collins JE, Bowes M, Guermazi A, Roemer FW, Losina E; FNIH OA Biomarkers Consortium. Longitudinal validation of periarticular bone area and 3D shape as biomarkers for knee OA progression? Data from the FNIH OA Biomarkers Consortium. *Ann Rheum Dis.* 2016 Sep;75(9):1607-14. doi: 10.1136/annrheumdis-2015-207602.
217. Sharma L, Nevitt M, Hochberg M, Guermazi A, Roemer FW, Crema M, Eaton C, Jackson R, Kwok K, Cauley J, Almagor O, Chmiel JS. Clinical significance of worsening versus stable preradiographic MRI lesions in a cohort study of persons at higher risk for knee osteoarthritis. *Ann Rheum Dis.* 2016 Sep;75(9):1630-6. doi: 10.1136/annrheumdis-2015-208129.
218. Roemer FW, Jarraya M, Felson DT, Hayashi D, Crema MD, Loeuille D, Guermazi A. Magnetic resonance imaging of Hoffa's fat pad and relevance for osteoarthritis research: a narrative review. *Osteoarthritis Cartilage.* 2016 Mar;24(3):383-97. doi: 10.1016/j.joca.2015.09.018. Review.
219. Stefanik JJ, Guermazi A, Roemer FW, Peat G, Niu J, Segal NA, Lewis CE, Nevitt M, Felson DT. Changes in patellofemoral and tibiofemoral joint cartilage damage and bone marrow lesions over 7 years: the Multicenter Osteoarthritis Study. *Osteoarthritis Cartilage.* 2016 Jul;24(7):1160-6. doi: 10.1016/j.joca.2016.01.981.
220. Hayashi D, Roemer FW, Guermazi A. Imaging for osteoarthritis: *Ann Phys Rehabil Med.* *Ann Phys Rehabil Med.* 2016 Jun;59(3):161-9. doi: 10.1016/j.rehab.2015.12.003.
221. Edwards MH, Parsons C, Bruyère O, Petit Dop F, Chapurlat R, Roemer FW, Guermazi A, Zaim S, Genant H, Reginster JY, Dennison EM, Cooper C; and the SEKOIA Study Group. High Kellgren-Lawrence Grade and Bone Marrow Lesions Predict Worsening Rates of Radiographic Joint Space Narrowing; The SEKOIA Study. *J Rheumatol.* 2016 Mar;43(3):657-65. doi: 10.3899/jrheum.150053. Epub 2016 Jan 15
222. Jarraya M, Roemer FW, Gale HI, Landreau P, D'Hooghe P, Guermazi A. MRarthrography and CT-arthrography in sports-related glenolabral injuries: a matched descriptive illustration. *Insights Imaging.* 2016 Apr;7(2):167-77. doi: 10.1007/s13244-015-0462-5. Epub 2016 Jan 8. Review.
223. Podlipská J, Guermazi A, Lehenkari P, Niinimäki J, Roemer FW, Arokoski JP, Kaukinen P, Liukkonen E, Lammentausta E, Nieminen MT, Tervonen O, Koski JM, Saarakkala S. Comparison of Diagnostic Performance of Semi-Quantitative Knee Ultrasound and Knee Radiography with MRI: Oulu Knee Osteoarthritis Study. *Sci Rep.* 2016 Mar 1;6:22365. doi: 10.1038/srep22365.

224. Segal NA, Frick E, Duryea J, Roemer FW, Guermazi A, Nevitt MC, Torner JC, Felson DT, Anderson DD. Correlations of Medial Joint Space Width on Fixed Flexed Standing CT and Radiographs with Cartilage and Meniscal Morphology on MRI. *Arthritis Care Res (Hoboken)*. 2016 Oct;68(10):1410-6. doi: 10.1002/acr.22888.

225. Thorlund JB, Felson DT, Segal NA, Nevitt MC, Niu J, Neogi T, Lewis CE, Guermazi A, Roemer FW, Englund M. Effect of Knee Extensor Strength on Incident Radiographic and Symptomatic Knee Osteoarthritis in Individuals with Meniscal Pathology: The MOST Study. *Arthritis Care Res (Hoboken)*. 2016 Nov;68(11):1640-1646. doi: 10.1002/acr.22889.

226. Neogi T, Guermazi A, Roemer FW, Nevitt MC, Frey Law L. Reply to Letter to the Editor. *Arthritis Rheumatol*. 2016 Mar 25. doi: 10.1002/art.39695. [Epub ahead of print]

227. Collins JE, Losina E, Nevitt MC, Roemer FW, Guermazi A, Lynch JA, Katz JN, Kwok CK, Kraus VB, Hunter DJ. Semi-Quantitative Imaging Biomarkers of Knee Osteoarthritis Progression: Data from the FNIH OA Biomarkers Consortium. *Arthritis Rheumatol* 2016; Oct;68(10):2422-31. doi: 10.1002/art.39731.

228. Roemer FW, Kwok CK, Hannon MJ, Hunter DJ, Eckstein F, Grago J, Boudreau RM, Englund M, Guermazi A. Partial meniscectomy is associated with increased risk of incident radiographic osteoarthritis and worsening cartilage damage in the following year. *Eur Radiol*. 2017 Jan;27(1):404-413. Epub 2016 Apr 27. DOI: 10.1007/s00330-016-4361-z

229. Rohlf AK, Schmolke S, Clauditz T, Hess M, Müller F, Püschel K, Roemer FW, Schumacher U, Goodyer E. Quantification of change in vocal fold tissue stiffness relative to depth of artificial damage. *Logoped Phoniatr Vocol*. 2017 Oct;42(3):108-117. doi: 10.1080/14015439.2016.1221445. Epub 2016 Aug 30.

230. Serner A, Weir A, Tol JL, Thorborg K, Roemer FW, Guermazi A, Hölmich P. Can standardised clinical examination of athletes with acute groin injuries predict the presence and location of MRI findings? *Br J Sports Med*. 2016 Dec;50(24):1541-1547. doi: 10.1136/bjsports-2016-096290. Epub 2016 Aug 16.

231. Roemer FW, Aydemir A, Lohmander S, Crema MD, Marra MD, Muurahainen N, Felson DT, Eckstein F, Guermazi A. Structural effects of sprifermin in knee osteoarthritis: a post-hoc analysis on cartilage and non-cartilaginous tissue alterations in a randomized controlled trial. *BMC Musculoskelet Disord*. 2016 Jul 9;17:267. doi: 10.1186/s12891-016-1128-2.

232. Jarraya M, Hayashi D, Roemer FW, Guermazi A. MR Imaging-based Semi-quantitative Methods for Knee Osteoarthritis. *Magn Reson Med Sci*. 2016;15(2):153-64. doi: 10.2463/mrms.rev.2015-0058.

233. Serner A*, Roemer FW*, Hölmich P, Thorborg K, Niu J, Weir A, Tol JL, Guermazi A. Reliability of MRI assessment of acute musculotendinous groin injuries in athletes. *Eur Radiol*. 2017 Apr;27(4):1486-1495. doi: 10.1007/s00330-016-4487-z. Epub 2016 Jul 6. * joint first authorship

234. Hafezi-Nejad N, Guermazi A, Roemer FW, Hunter DJ, Dam EB, Zikria B, Kwok CK, Demehri S. Prediction of medial tibiofemoral compartment joint space loss progression using volumetric cartilage measurements: Data from the FNIH OA biomarkers consortium. *Eur Radiol*. *Eur Radiol* 2017 Feb;27(2):464-473. doi: 10.1007/s00330-016-4393-4.

235. Kaukinen P, Podlipská J, Guerhazi A, Niinimäki J, Lehenkari P, Roemer FW, Nieminen MT, Koski JM, Arokoski JP, Saarakkala S. Associations between MRI-defined structural pathology and generalized and localized knee pain - the Oulu Knee Osteoarthritis study. *Osteoarthritis Cartilage*. 2016 Sep;24(9):1565-76. doi: 10.1016/j.joca.2016.05.001. Epub 2016 May 10.
236. Crema MD, Watts GJ, Guerhazi A, Kim YJ, Kijowski R, Roemer FW. A narrative overview of the current status of MRI of the hip and its relevance for osteoarthritis research - what we know, what has changed and where are we going? *Osteoarthritis Cartilage*. 2017 Jan;25(1):1-13. doi: 10.1016/j.joca.2016.08.015. Epub 2016 Sep 13.
237. Zikria B, Hafezi-Nejad N, Roemer FW, Guerhazi A, Demehri S. Meniscal Surgery: Risk of Radiographic Joint Space Narrowing Progression and Subsequent Knee Replacement-Data from the Osteoarthritis Initiative. *Radiology*. 2017 Mar;282(3):807-816. doi: 10.1148/radiol.2016160092. Epub 2016 Oct 3.
238. Crema MD, Roemer FW, Li L, Alexander RC, Chessell IP, Dudley AD, Karlsten R, Rosen LB, Guerhazi A. Comparison between semiquantitative and quantitative methods for the assessment of knee synovitis in osteoarthritis using non-enhanced and gadolinium-enhanced MRI. *Osteoarthritis Cartilage*. 2017 Feb;25(2):267-271. doi: 10.1016/j.joca.2016.09.016. Epub 2016 Sep 30.
239. Deveza LA, Kraus VB, Collins JE, Guerhazi A, Roemer FW, Bowes M, Nevitt MC, Ladel C, Hunter DJ. The association between biochemical markers of bone turnover and bone changes on imaging - Data from the Osteoarthritis Initiative. *Arthritis Care Res (Hoboken)* 2017 Aug;69(8):1179-1191. doi: 10.1002/acr.23121. Epub 2017 Jul 10.
240. Thorlund JB, Felson DT, Segal NA, Nevitt MC, Niu J, Neogi T, Lewis CE, Guerhazi A, Roemer FW, Englund M. Effect of Knee Extensor Strength on Incident Radiographic and Symptomatic Knee Osteoarthritis in Individuals With Meniscal Pathology: Data From the Multicenter Osteoarthritis Study. *Arthritis Care Res (Hoboken)*. 2016 Nov;68(11):1640-1646. doi: 10.1002/acr.22889.
241. Guerhazi A, Hayashi D, Roemer FW, Niu J, Quinn EK, Crema MD, Nevitt MC, Torner J, Lewis CE, Felson DT. Partial- and Full-thickness focal cartilage defects equally contribute to development of new cartilage damage in knee osteoarthritis - the Multicenter Osteoarthritis Study. *Arthritis Rheumatol*. 2017 Mar;69(3):560-564. doi: 10.1002/art.39970.
242. Roemer FW, Guerhazi A, Collins JE, Losina E, Nevitt MC, Lynch JA, Katz JN, Kwok CK, Kraus VB, Hunter DJ. Semi-quantitative MRI biomarkers of knee osteoarthritis progression in the FNIH biomarkers consortium cohort - Methodologic aspects and definition of change. *BMC Musculoskelet Disord*. 2016 Nov 10;17(1):466.
243. Jarraya M, Diaz LE, Arndt WF, Roemer FW, Guerhazi A. Imaging of patellar fractures. *Insights Imaging*. 2017 Feb;8(1):49-57. doi: 10.1007/s13244-016-0535-0. Epub 2016 Nov 30. Review.
244. Wirth W, Maschek S, Roemer FW, Eckstein F. Layer-specific femorotibial cartilage T2 relaxation time in knees with and without early knee osteoarthritis: Data from the Osteoarthritis Initiative (OAI). *Sci Rep*. 2016 Sep 27;6:34202. doi: 10.1038/srep34202.

245. Wink AE, Gross KD, Brown CA, Guermazi A, Roemer FW, Niu J, Torner J, Lewis CE, Nevitt MC, Tolstykh I, Sharma L, Felson DT. Varus thrust during walking and the risk of incident and worsening medial tibiofemoral MRI lesions: the Multicenter Osteoarthritis Study. *Osteoarthritis Cartilage*. 2017 Jun;25(6):839-845. doi: 10.1016/j.joca.2017.01.005. Epub 2017 Jan 16.

246. Jarraya M, Roemer FW, Englund M, Crema MD, Gale HI, Hayashi D, Katz JN, Guermazi A. Meniscus morphology: Does tear type matter? A narrative review with focus on relevance for osteoarthritis research. *Semin Arthritis Rheum*. 2017 Apr;46(5):552-561. doi: 10.1016/j.semarthrit.2016.11.005. Epub 2016 Nov 24.

247. Johnson VL, Guermazi A, Roemer FW, Hunter DJ. Comparison in knee osteoarthritis joint damage patterns among individuals with an intact, complete and partial anterior cruciate ligament rupture. *Int J Rheum Dis*. 2017 Oct;20(10):1361-1371. doi: 10.1111/1756-185X.13003. Epub 2016 Dec 30

248. Wallace G, Cro S, Doré C, King L, Kluzek S, Price A, Roemer FW, Guermazi A, Keen R, Arden N. Associations between clinical evidence of inflammation and synovitis in symptomatic knee osteoarthritis: A substudy of the VIDEO trial. *Arthritis Care Res (Hoboken)*. 2017 Sep;69(9):1340-1348. doi: 10.1002/acr.23162. Epub 2017 Aug 14.

249. Guermazi A, Roemer FW, Robinson P, Tol JL, Regatte RR, Crema MD. Imaging of Muscle Injuries in Sports Medicine: Sports Imaging Series. *Radiology*. 2017 Mar;282(3):646-663. doi: 10.1148/radiol.2017160267.

250. Sharma L, Hochberg M, Nevitt M, Guermazi A, Roemer FW, Crema MD, Eaton C, Jackson R, Kwok K, Cauley J, Almagor O, Chmiel JS. Knee tissue lesions and prediction of incident knee osteoarthritis over 7 years in a cohort of persons at higher risk. *Osteoarthritis Cartilage*. 2017 Jul;25(7):1068-1075. doi: 10.1016/j.joca.2017.02.788. Epub 2017 Feb 14.

251. Wangenstein A, Tol JL, Roemer FW, Bahr R, Dijkstra HP, Crema MD, Farooq A, Guermazi A. Intra- and interrater reliability of three different MRI grading and classification systems after acute hamstring injuries. *Eur J Radiol*. 2017 Apr;89:182-190. doi: 10.1016/j.ejrad.2017.02.010. Epub 2017 Feb 11.

252. Guermazi A, Roemer FW, Crossley KM, Crema MD. Fractures associated with ACL injury need to be taken seriously. *Br J Sports Med*. 2018 Jan;52(1):6-7. doi: 10.1136/bjsports-2017-097736. Epub 2017 Mar 24.

253. Widjajahakim R, Roux M, Jarraya M, Roemer FW, Neogi T, Lynch JA, Lewis CE, Torner JC, Felson DT, Guermazi A, Stefanik JJ. Relationship of Trochlear Morphology and Patellofemoral Joint Alignment to Superolateral Hoffa Fat Pad Edema on MR Images in Individuals with or at Risk for Osteoarthritis of the Knee: The MOST Study. *Radiology*. 2017 Sep;284(3):806-814. doi: 10.1148/radiol.2017162342. Epub 2017 Apr 17.

254. Hirvasniemi J, Thevenot J, Guermazi A, Podlipská J, Roemer FW, Nieminen MT, Saarakkala S. Differences in tibial subchondral bone structure evaluated using plain radiographs between knees with and without cartilage damage or bone marrow lesions - the Oulu Knee Osteoarthritis study. *Eur Radiol*. 2017 Nov;27(11):4874-4882. doi: 10.1007/s00330-017-4826-8. Epub 2017 Apr 24.

255. Filbay SR, Roos EM, Frobell RB, Roemer FW, Ranstam J, Lohmander LS. Delaying ACL reconstruction and treating with exercise therapy alone may alter prognostic factors for 5-year outcome: an exploratory analysis of the KANON trial. *Br J Sports Med.* 2017 Nov;51(22):1622-1629. doi: 10.1136/bjsports-2016-097124. Epub 2017 May 17.
256. Hayashi D, Li X, Murakami AM, Roemer FW, Trattng S, Guermazi A. Understanding Magnetic Resonance Imaging of Knee Cartilage Repair: A Focus on Clinical Relevance. *Cartilage.* 2018 Jul;9(3):223-236. doi: 10.1177/1947603517710309. Epub 2017 Jun 5.
257. Crema MD, Felson DT, Guermazi A, Nevitt MC, Niu J, Lynch JA, Marra MD, Torner J, Lewis CE, Roemer FW. Is the atrophic phenotype of tibiofemoral osteoarthritis associated with faster progression of disease? The MOST study. *Osteoarthritis Cartilage* 2017 Oct;25(10):1647-1653. doi: 10.1016/j.joca.2017.05.019. Epub 2017 Jun 9.
258. Jarraya M, Guermazi A, Felson DT, Roemer FW, Nevitt MC, Torner J, Lewis CE, Stefanik J. Is Superolateral Hoffa's Fat Pad Hyperintensity a Marker of Local Patellofemoral Joint Disease? - The MOST Study. *Osteoarthritis Cartilage.* 2017 Sep;25(9):1459-1467. doi: 10.1016/j.joca.2017.05.020. Epub 2017 Jun 9.
259. Roemer FW, Miller CG, West CR, Brown MT, Sherlock SP, Kompel AJ, Diaz L, Galante N, Crema MD, Guermazi A. Development of an imaging mitigation strategy for patient enrolment in the tanezumab nerve growth factor inhibitor (NGF-ab) program with a focus on eligibility assessment. *Semin Arthritis Rheum.* 2017 Dec;47(3):323-330. doi: 10.1016/j.semarthrit.2017.05.008. Epub 2017 May 20.
260. Serner A, Weir A, Tol JL, Thorborg K, Roemer FW, Guermazi A, Yamashiro E, Hölmich P. Characteristics of acute groin injuries in the hip flexor muscles - a detailed MRI study in athletes. *Scand J Med Sci Sports.* 2018 Feb;28(2):677-685. doi: 10.1111/sms.12939. Epub 2017 Aug 4.
261. Serner A, Weir A, Tol JL, Thorborg K, Roemer FW, Guermazi A, Yamashiro E, Hölmich P. Characteristics of acute groin injuries in the adductor muscles - a detailed MRI study in athletes. *Scand J Med Sci Sports.* 2018 Feb;28(2):667-676. doi: 10.1111/sms.12936. Epub 2017 Jul 26.
262. Macri EM, Felson DT, Zhang Y, Guermazi A, Roemer FW, Crossley KM, Khan KM, Stefanik JJ. Patellofemoral morphology and alignment: reference values and dose-response patterns for the relation to MRI features of patellofemoral osteoarthritis. *Osteoarthritis Cartilage.* 2017 Oct;25(10):1690-1697. doi: 10.1016/j.joca.2017.06.005. Epub 2017 Jun 23.
263. Kaukinen P, Podlipská J, Guermazi A, Niinimäki J, Lehenkari P, Roemer FW, Nieminen MT, Koski JM, Saarakkala S, Arokoski JPA. Magnetic resonance imaging (MRI)-defined cartilage degeneration and joint pain are associated with poor physical function in knee osteoarthritis - the Oulu Knee Osteoarthritis study. *Osteoarthritis Cartilage.* 2017 Nov;25(11):1829-1840. doi: 10.1016/j.joca.2017.07.002. Epub 2017 Jul 8.
264. Hayashi D, Roemer FW, Jarraya M, Guermazi A. Imaging in Osteoarthritis. *Radiol Clin North Am.* 2017 Sep;55(5):1085-1102. doi: 10.1016/j.rcl.2017.04.012. Epub 2017 Jun 12. Review.

265. Bayer T, Adler W, Janka R, Uder M, Roemer FW. Magnetic resonance cinematography of the fingers: a 3.0 Tesla feasibility study with comparison of incremental and continuous dynamic protocols. *Skeletal Radiol.* 2017 Dec;46(12):1721-1728. doi: 10.1007/s00256-017-2742-2. Epub 2017 Aug 19.
266. Roemer FW, Kijowski R, Guermazi A. Editorial: from theory to practice - the challenges of compositional MRI in osteoarthritis research. *Osteoarthritis Cartilage.* 2017 Dec;25(12):1923-1925. doi: 10.1016/j.joca.2017.08.007. Epub 2017 Aug 24.
267. Deveza LA, Kraus VB, Collins JE, Guermazi A, Roemer FW, Nevitt MC, Hunter DJ. Is synovitis detected on non-contrast-enhanced magnetic resonance imaging associated with serum biomarkers and clinical signs of effusion? Data from the Osteoarthritis Initiative. *Scand J Rheumatol.* 2018 May;47(3):235-242. doi: 10.1080/03009742.2017.1340511. Epub 2017 Sep 20.
268. Schnaiter JW, Roemer FW, McKenna-Kuettner A, Patzak HJ, May MS, Janka R, Uder M, Wuest W. Diagnostic Accuracy of an MRI Protocol of the Knee Accelerated Through Parallel Imaging in Correlation to Arthroscopy. *Rofo.* 2018 Mar;190(3):265-272. doi: 10.1055/s-0043-119038. Epub 2017 Sep 26.
269. Crema MD, Guermazi A, Reurink G, Roemer FW, Maas M, Weir A, Moen MH, Goudswaard GJ, Tol JL. Can a Clinical Examination Demonstrate Intramuscular Tendon Involvement in Acute Hamstring Injuries? *Orthop J Sports Med.* 2017 Oct 26;5(10):2325967117733434. doi: 10.1177/2325967117733434. eCollection 2017 Oct.
270. Haj-Mirzaian A, Guermazi A, Roemer FW, Bowes MA, Conaghan PG, Demehri S. Bisphosphonates intake and its association with changes of periarticular bone area and threedimensional shape: data from the Osteoarthritis Initiative (OAI). *Osteoarthritis Cartilage.* 2018 Apr;26(4):564-568. doi: 10.1016/j.joca.2018.01.005. Epub 2018 Jan 9.
271. Hayashi D, Roemer FW, Guermazi A. Imaging of osteoarthritis-recent research developments and future perspective. *Br J Radiol.* 2018 May;91(1085):20170349. doi: 10.1259/bjr.20170349. Epub 2018 Jan 19.
272. Crema MD, Jarraya M, Engebretsen L, Roemer FW, Hayashi D, Domingues R, Skaf AY, Guermazi A. Imaging-detected acute muscle injuries in athletes participating in the Rio de Janeiro 2016 Summer Olympic Games. *Br J Sports Med.* 2018 Apr;52(7):460-464. doi: 10.1136/bjsports-2017-098247. Epub 2017 Dec 7.
273. Guermazi A, Kalsi G, Niu J, Crema MD, Copeland RO, Orlando A, Noh MJ, Roemer FW. Structural effects of intra-articular TGF-1 in moderate to advanced knee osteoarthritis: MRI-based assessment in a randomized controlled trial. *BMC Musculoskelet Disord.* 2017 Nov 16;18(1):461. doi: 10.1186/s12891-017-1830-8.
274. Jarraya M, Crema MD, Engebretsen L, Teytelboym OM, Hayashi D, Roemer FW, Skaf AY, Guermazi A. Epidemiology of imaging-detected tendon abnormalities in athletes participating in the Rio de Janeiro 2016 Summer Olympics. *Br J Sports Med.* 2018 Apr;52(7):465-469. doi: 10.1136/bjsports-2017-098187. Epub 2017 Oct 19.

275. Kraus VB, Collins JE, Charles HC, Pieper CF, Whitley L, Losina E, Nevitt M, Hoffmann S, Roemer FW, Guermazi A, Hunter DJ; OA Biomarkers Consortium. Predictive Validity of Radiographic Trabecular Bone Texture in Knee Osteoarthritis: The Osteoarthritis Research Society International/Foundation for the National Institutes of Health Osteoarthritis Biomarkers Consortium. *Arthritis Rheumatol.* 2018 Jan;70(1):80-87. doi: 10.1002/art.40348. Epub 2017 Dec 15.
276. Jarraya M, Diaz LE, Roemer FW, Arndt WF, Goud AR, Guermazi A. MRI Findings Consistent with Peripatellar Fat Pad Impingement: How Much Related to Patellofemoral Maltracking? *Magn Reson Med Sci.* 2018 Jul 10;17(3):195-202. doi: 10.2463/mrms.rev.2017-0063. Epub 2017 Oct 10.
277. Hart HF, Crossley KM, Felson D, Jarraya M, Guermazi A, Roemer FW, Lewis B, Torner J, Nevitt M, Stefanik JJ. Relation of meniscus pathology to prevalence and worsening of patellofemoral joint osteoarthritis: the multicenter osteoarthritis study. *Osteoarthritis Cartilage.* 2018 Jul;26(7):912-919. doi: 10.1016/j.joca.2017.11.017. Epub 2018 Feb 7.
278. Roemer FW, Kwok CK, Fujii T, Hannon MJ, Boudreau RM, Hunter DJ, Eckstein F, John MR, Guermazi A. From early radiographic knee osteoarthritis to joint arthroplasty: Determinants of structural progression and symptoms. *Arthritis Care Res (Hoboken).* 2018 Dec;70(12):1778-1786. doi: 10.1002/acr.23545.
279. Serner A, Pope D, Weir A, Tol JL, Thorborg K, Roemer FW, Guermazi A, Hölmich P. Infographic. Can standardised clinical examination of athletes with acute groin injuries predict the presence and location of MRI findings? *Br J Sports Med.* 2018 Feb 9. pii: bjsports-2017-098534. doi: 10.1136/bjsports-2017-098534. [Epub ahead of print]
280. Wangenstein A, Guermazi A, Tol JL, Roemer FW, Hamilton B, Alonso JM, Whiteley R, Bahr R. New MRI muscle classification systems and associations with return to sport after acute hamstring injuries: a prospective study. *Eur Radiol.* 2018 Aug;28(8):3532-3541. doi: 10.1007/s00330-017-5125-0. Epub 2018 Feb 19.
281. Kwee RM, Hafezi-Nejad N, Roemer FW, Zikria BA, Hunter DJ, Guermazi A, Demehri S. Association of Mucoïd Degeneration of the Anterior Cruciate Ligament at MR Imaging with Medial Tibiofemoral Osteoarthritis Progression at Radiography: Data from the Osteoarthritis Initiative. *Radiology.* 2018 Jun;287(3):912-921. doi: 10.1148/radiol.2018171565. Epub 2018 Feb 21.
282. Kumar N, Hafezi-Nejad N, Guermazi A, Haj-Mirzaian A, Haugen IK, Roemer FW, Demehri S. Association of Quantitative and Topographic Assessment of Heberden's Nodes with Knee Osteoarthritis: Data from Osteoarthritis Initiative. *Arthritis Rheumatol.* 2018 Aug;70(8):1234-1239. doi: 10.1002/art.40463. Epub 2018 Jun 27.
283. Guermazi A, Hayashi D, Jarraya M, Crema MD, Bahr R, Roemer FW, Grangeiro J, Budgett RG, Soligard T, Domingues R, Skaf A, Engebretsen L. Sports Injuries at the Rio de Janeiro 2016 Summer Olympics: Use of Diagnostic Imaging Services. *Radiology.* 2018 Jun;287(3):922-932. doi: 10.1148/radiol.2018171510. Epub 2018 Feb 26.

284. Wasserman MS, Guermazi A, Jarraya M, Engbretsen L, AbdelKader M, Roemer FW, Hayashi D, Crema MD, Mian AZ. Evaluation of spine MRIs in athletes participating in the Rio de Janeiro 2016 Summer Olympic Games. *BMJ Open Sport Exerc Med.* 2018 Mar 8;4(1):e000335. doi: 10.1136/bmjsem-2017-000335
285. Haj-Mirzaian A, Guermazi A, Hafezi-Nejad N, Sereni C, Hakky M, Hunter DJ, Zikria B, Roemer FW, Demehri S. Superolateral Hoffa's fat pad (SHFP) oedema and patellar cartilage volume loss: quantitative analysis using longitudinal data from the Foundation for the National Institute of Health (FNIH) Osteoarthritis Biomarkers Consortium. *Eur Radiol.* 2018 Oct;28(10):4134-4145. doi: 10.1007/s00330-018-5334-1. Epub 2018 Apr 12.
286. Kiefer LS, Fabian J, Lorbeer R, Machann J, Storz C, Kraus MS, Wintermeyer E, Schlett C, Roemer FW, Nikolaou K, Peters A, Bamberg F. Inter- and intra-observer variability of an anatomical landmark-based, manual segmentation method by MRI for the assessment of skeletal muscle fat content and area in subjects from the general population. *Br J Radiol.* 2018 Sep;91(1089):20180019. doi: 10.1259/bjr.20180019. Epub 2018 May 3.
287. Haj-Mirzaian A, Guermazi A, Hakky M, Sereni C, Zikria B, Roemer FW, Tanaka MJ, Cosgarea AJ, Demehri S. Tibial tuberosity to trochlear groove distance and its association with patellofemoral osteoarthritis-related structural damage worsening: data from the osteoarthritis initiative. *Eur Radiol.* 2018 Nov;28(11):4669-4680. doi: 10.1007/s00330-018-5460-9. Epub 2018 Apr 30.
288. Roemer FW, Kwok CK, Hayashi D, Felson DT, Guermazi A. The role of radiography and MRI for eligibility assessment in DMOAD trials of knee OA. *Nat Rev Rheumatol.* 2018 Jun;14(6):372-380. doi: 10.1038/s41584-018-0010-z. Review.
289. Ratzlaff C, Ashbeck EL, Guermazi A, Roemer FW, Duryea J, Kwok CK. Quantitative metric for knee osteoarthritis: reference values of joint space loss. *Osteoarthritis Cartilage.* 2018 2018 Sep;26(9):1215-1224. doi: 10.1016/j.joca.2018.05.014. Epub 2018 May 26.
290. Kiefer LS, Fabian J, Rospleszcz S, Lorbeer R, Machann J, Storz C, Kraus MS, Schlett CL, Roemer FW, Wintermeyer E, Rathmann W, Nikolaou K, Peters A, Bamberg F. Assessment of the degree of abdominal myosteatosis by magnetic resonance imaging in subjects with diabetes, prediabetes and healthy controls from the general population. *Eur J Radiol.* 2018 Aug;105:261-268. doi: 10.1016/j.ejrad.2018.06.023. Epub 2018 Jun 26.
291. Heiss R, Guermazi A, Jarraya M, Engbretsen L, Roemer FW. The epidemiology of MRI-detected pelvic injuries in athletes in the Rio de Janeiro 2016 Summer Olympics. *Eur J Radiol.* 2018 Aug;105:56-64. doi: 10.1016/j.ejrad.2018.05.029. Epub 2018 May 30.
292. Rego-Pérez I, Blanco FJ, Roemer FW, Guermazi A, Ran D, Ashbeck EL, Fernández-Moreno M, Oreiro N, Hannon MJ, Hunter DJ, Kwok CK. Mitochondrial DNA haplogroups Associated with MRI-Detected Structural Damage in Early Knee Osteoarthritis. *Osteoarthritis Cartilage.* 2018 Nov;26(11):1562-1569. doi: 10.1016/j.joca.2018.06.016. Epub 2018 Jul 20.
293. Kompel AJ, Murakami AM, Engbretsen L, Forster BB, Lotfi M, Jarraya M, Hayashi D, Roemer FW, Crema MD, Guermazi A. MRI-Detected Sports-Related Knee Injuries and Abnormalities at the Rio De Janeiro 2016 Summer Olympic Games. *AJR Am J Roentgenol.* 2018 Oct;211(4):880-886. doi: 10.2214/AJR.17.19334. Epub 2018 Jul 31.

294. Roemer FW, Englund M, Turkiewicz A, Struglics A, Guermazi A, Stefan Lohmander L, Larsson S, Frobell R. Molecular and structural biomarkers of inflammation at 2 years after acute anterior cruciate ligament injury do not predict structural knee osteoarthritis at 5 years. *Arthritis Rheumatol.* 2019 Feb;71(2):238-243. doi: 10.1002/art.40687. Epub 2018 Dec 4.

295. Murakami AM, Koppel AJ, Engebretsen L, Li X, Forster BB, Crema MD, Hayashi D, Jarraya M, Roemer FW, Guermazi A. The epidemiology of MRI detected shoulder injuries in athletes participating in the Rio de Janeiro 2016 Summer Olympics. *BMC Musculoskelet Disord.* 2018 Aug 17;19(1):296. doi: 10.1186/s12891-018-2224-2.

296. Watt FE, Corp N, Kingsbury SR, Frobell R, Englund M, Felson DT, Levesque M, Majumdar S, Wilson C, Beard DJ, Lohmander LS, Kraus VB, Roemer FW, Conaghan PG, Mason DJ; Arthritis Research UK Osteoarthritis and Crystal Disease Clinical Study Group Expert Working Group. Towards prevention of post-traumatic osteoarthritis: report from an international expert working group on considerations for the design and conduct of interventional studies following acute knee injury. *Osteoarthritis Cartilage.* 2019 Jan;27(1):23-33. doi: 10.1016/j.joca.2018.08.001. Epub 2018 Aug 18.

297. Berlinberg A, Ashbeck EL, Roemer FW, Guermazi A, Hunter DJ, Westra J, Trost J, Kwok CK. Diagnostic performance of knee physical exam and participant-reported symptoms for MRI-detected effusion-synovitis among participants with early or late stage knee osteoarthritis: data from the Osteoarthritis Initiative. *Osteoarthritis Cartilage.* 2019 Jan;27(1):80-89. doi: 10.1016/j.joca.2018.09.004. Epub 2018 Sep 20.

298. Svensson F, Felson DT, Zhang F, Guermazi A, Roemer FW, Niu J, Aliabadi P, Neogi T, Englund M. Meniscal body extrusion and cartilage coverage in middle-aged and elderly without radiographic knee osteoarthritis. *Eur Radiol.* 2018 Oct 2. doi: 10.1007/s00330-018-5741-3. [Epub ahead of print]

299. Culvenor AG, Segal NA, Guermazi A, Roemer FW, Felson DT, Nevitt MC, Lewis CE, Stefanik JJ. The sex-specific influence of quadriceps weakness on worsening patellofemoral and tibiofemoral cartilage damage: the MOST Study. *Arthritis Care Res (Hoboken).* 2018 Oct 8. doi: 10.1002/acr.23773. [Epub ahead of print]

300. Hayashi D, Roemer FW, Guermazi A. Recent advances in research imaging of osteoarthritis with focus on MRI, ultrasound and hybrid imaging. *Clin Exp Rheumatol.* 2018 Sep-Oct;36 Suppl 114(5):43-52. Epub 2018 Oct 1. Review.

301. Eckstein F, Maschek S, Roemer FW, Duda GN, Sharma L, Wirth W. Cartilage loss in radiographically normal knees depends on radiographic status of the contralateral knee - data from the Osteoarthritis Initiative. *Osteoarthritis Cartilage.* 2019 Feb;27(2):273-277. doi: 10.1016/j.joca.2018.10.006. Epub 2018 Oct 28.

302. Schmidkonz C, Ellmann S, Ritt P, Roemer FW, Guermazi A, Uder M, Kuwert T, Bäuerle T. Hybrid Imaging (PET-Computed Tomography/PET-MR Imaging) of Bone Metastases. *PET Clin.* 2019 Jan;14(1):121-133. doi: 10.1016/j.cpet.2018.08.003. Epub 2018 Oct 24. Review.

303. Hayashi D, Roemer FW, Guermazi A. Imaging of Osteoarthritis by Conventional Radiography, MR Imaging, PET-Computed Tomography, and PET-MR Imaging. *PET Clin.* 2019 Jan;14(1):17-29. doi: 10.1016/j.cpet.2018.08.004. Epub 2018 Oct 24. Review
304. Haj-Mirzaian A, Guermazi A, Pishgar F, Pourvaziri A, Roemer FW, Sereni C, Hakky M, Zikria B, Stefanik JJ, Demehri S. Association of patella alta with worsening of patellofemoral osteoarthritis-related structural damage: data from the Osteoarthritis Initiative. *Osteoarthritis Cartilage.* 2019 Feb;27(2):278-285. doi: 10.1016/j.joca.2018.10.013. Epub 2018 Nov 14.
305. Macri EM, Felson DT, Ziegler ML, Cooke TDV, Guermazi A, Roemer FW, Neogi T, Torner J, Lewis CE, Nevitt MC, Stefanik JJ. The association of frontal plane alignment to MRI-defined worsening of patellofemoral osteoarthritis: the MOST study. *Osteoarthritis Cartilage.* 2019 Mar;27(3):459-467. doi: 10.1016/j.joca.2018.11.004. Epub 2018 Nov 28.
306. Shakoor D, Kijowski R, Guermazi A, Fritz J, Roemer FW, Jalali-Farahani S, Eng J, Demehri S. Diagnosis of Knee Meniscal Injuries by Using Three-dimensional MRI: A Systematic Review and Meta-Analysis of Diagnostic Performance. *Radiology.* 2019 Feb;290(2):435-445. doi: 10.1148/radiol.2018181212. Epub 2018 Nov 20.
307. Haj-Mirzaian A, Mohajer B, Guermazi A, Shakoor D, Haugen IK, Roemer FW, Demehri S. Heberden's Nodes and Knee Osteoarthritis-related Osseous Structural Damage: Exploratory Study from the Foundation for the National Institute of Health. *Arthritis Rheumatol.* 2019 Jan 9. doi: 10.1002/art.40811. [Epub ahead of print]
308. Svensson F, Felson DT, Turkiewicz A, Guermazi A, Roemer FW, Neuman P, Englund M. Scrutinizing the cut-off for "pathological" meniscal body extrusion on knee MRI. *Eur Radiol.* 2019 Jan 10. doi: 10.1007/s00330-018-5914-0. [Epub ahead of print]
309. Gerhalter T, Gast LV, Marty B, Martin J, Trollmann R, Schüssler S, Roemer FW, Laun FB, Uder M, Schröder R, Carlier PG, Nagel AM. ²³Na MRI Depicts Early Changes in Ion Homeostasis in Skeletal Muscle Tissue of Patients With Duchenne Muscular Dystrophy. *J Magn Reson Imaging.* 2019 Feb 4. doi: 10.1002/jmri.26681. [Epub ahead of print]
310. Guermazi A, Roemer FW. Which Is Better for Characterizing Disease Activity in Axial Spondyloarthritis: Diffusion MRI or T2-weighted/STIR MRI? *Radiology.* 2019 Feb 5:190019. doi: 10.1148/radiol.2019190019. [Epub ahead of print] No abstract available
311. Li X, Roemer FW. Compositional changes predict morphologic cartilage lesion development - are we one step closer to clinical translation of quantitative MRI? *Osteoarthritis Cartilage.* 2019 Feb 6. pii: S1063-4584(19)30041-X. doi: 10.1016/j.joca.2019.01.014. [Epub ahead of print]
312. Heiss R, Guermazi A, Jarraya M, Engebretsen L, Hotfiel T, Parva P, Roemer FW. Prevalence of MRI-Detected Ankle Injuries in Athletes in the Rio de Janeiro 2016 Summer Olympics. *Acad Radiol.* 2019 Feb 21. pii: S1076-6332(19)30066-2. doi: 10.1016/j.acra.2019.02.001. [Epub ahead of print]

313. Hart HF, Gross KD, Crossley KM, Barton CJ, Felson DT, Guermazi A, Roemer FW, Segal NA, Lewis CE, Nevitt MC, Stefanik JJ. Step Rate and Worsening of Patellofemoral and Tibiofemoral Joint Osteoarthritis in Women and Men: The Multicenter Osteoarthritis Study. *Arthritis Care Res (Hoboken)*. 2019 Mar 1. doi: 10.1002/acr.23864. [Epub ahead of print]
314. Crema MD, Krivokapic B, Guermazi A, Gravidovic P, Popovic N, D'Hooghe P, Roemer FW. MRI of ankle sprain: the association between joint effusion and structural injury severity in a large cohort of athletes. *Eur Radiol*. 2019 Nov;29(11):6336-6344. doi: 10.1007/s00330-019-06156-1. Epub 2019 Apr 1.
315. Shakoob D, Guermazi A, Kijowski R, Fritz J, Roemer FW, Jalali-Farahani S, Demehri S. Cruciate ligament injuries of the knee: A meta-analysis of the diagnostic performance of 3D MRI. *J Magn Reson Imaging*. 2019 Nov;50(5):1545-1560. doi: 10.1002/jmri.26713. Epub 2019 Apr 5.
316. Heiss R, Janka R, Uder M, Nagel AM, Trattnig S, Roemer FW. Update cartilage imaging of the small joints : Focus on high-field MRI. *Radiologe*. 2019 Aug;59(8):732-741. doi: 10.1007/s00117-019-0521-x. Review. German.
317. Roemer FW, Guermazi A, Englund M, Turkiewicz A, Struglics A, Lohmander LS, Larsson S, Frobell R. Reply. *Arthritis Rheumatol*. 2019 Sep;71(9):1588. doi: 10.1002/art.40936. Epub 2019 Jul 21. No abstract available.
318. Trattnig S, Raudner M, Schreiner M, Roemer FW, Bohndorf K. [Biochemical cartilage imaging-update 2019]. *Radiologe*. 2019 Aug;59(8):742-749. doi: 10.1007/s00117-019-0558-x. Review. German.
319. Haj-Mirzaian A, Guermazi A, Pishgar F, Roemer FW, Sereni C, Hakky M, Zikria B, Demehri S. Patellofemoral morphology measurements and their associations with tibiofemoral osteoarthritis-related structural damage: exploratory analysis on the osteoarthritis initiative. *Eur Radiol*. 2019 Jul 11. doi: 10.1007/s00330-019-06324-3. [Epub ahead of print]
320. Wirth W, Maschek S, Roemer FW, Sharma L, Duda GN, Eckstein F. Radiographically normal knees with contralateral joint space narrowing display greater change in cartilage transverse relaxation time than those with normal contralateral knees: a model of early OA? - data from the Osteoarthritis Initiative (OAI). *Osteoarthritis Cartilage*. 2019 Nov;27(11):1663-1668. doi: 10.1016/j.joca.2019.06.013. Epub 2019 Jul 10
321. Boesen M, Roemer FW, Østergaard M, Maas M, Terslev L, Guermazi A. Imaging of Common Rheumatic Joint Diseases Affecting the Upper Limbs. *Radiol Clin North Am*. 2019 Sep;57(5):1001-1034. doi: 10.1016/j.rcl.2019.03.007. Epub 2019 Jun 12. Review.
322. Roemer FW, Eckstein F, Duda GN, Guermazi A, Maschek S, Wirth W. Baseline structural tissue pathology is not strongly associated with longitudinal change in transverse relaxation time (T2) in knees without osteoarthritis. *Eur J Radiol*. 2019 Sep;118:161-168. doi: 10.1016/j.ejrad.2019.07.013. Epub 2019 Jul 20.

323. Haj-Mirzaian A, Mohajer B, Guermazi A, Conaghan PG, Lima JAC, Blaha MJ, Bingham CO, Roemer FW, Cao X, Demehri S. Statin Use and Knee Osteoarthritis Outcome Measures according to the Presence of Heberden Nodes: Results from the Osteoarthritis Initiative. *Radiology*. 2019 Nov;293(2):396-404. doi: 10.1148/radiol.2019190557. Epub 2019 Sep 10.
324. Roemer FW, Collins J, Kwok CK, Hannon MJ, Neogi T, Felson DT, Hunter DJ, Lynch JA, Guermazi A. MRI-based screening for structural definition of eligibility in clinical DMOAD trials: Rapid OsteoArthritis MRI Eligibility Score (ROAMES). *Osteoarthritis Cartilage*. 2020 Jan;28(1):71-81. doi: 10.1016/j.joca.2019.08.005.
325. Koppel AJ, Roemer FW, Murakami AM, Diaz LE, Crema MD, Guermazi A. Intraarticular Corticosteroid Injections in the Hip and Knee: Perhaps Not as Safe as We Thought? *Radiology*. 2019 Dec;293(3):656-663. doi: 10.1148/radiol.2019190341. Epub 2019 Oct 15. Review.
326. Hayashi D, Roemer FW, Guermazi A. Magnetic resonance imaging assessment of knee osteoarthritis: current and developing new concepts and techniques. *Clin Exp Rheumatol*. 2019 Sep-Oct;37 Suppl 120(5):88-95. Epub 2019 Oct 15. Review.
327. Snoeker BA, Roemer FW, Turkiewicz A, Lohmander S, Frobell RB, Englund M. Does early anterior cruciate ligament reconstruction prevent development of meniscal damage? Results from a secondary analysis of a randomised controlled trial. *Br J Sports Med*. 2019 Oct 25. pii: bjsports-2019-101125. doi: 10.1136/bjsports-2019-101125. [Epub ahead of print]
328. Shakoob D, Demehri S, Roemer FW, Loeuille D, Felson DT, Guermazi A. Are contrast-enhanced and non-contrast MRI findings reflecting synovial inflammation in knee osteoarthritis: a meta-analysis of observational studies. *Osteoarthritis Cartilage*. 2019 Oct 31. pii: S1063-4584(19)31243-9. doi: 10.1016/j.joca.2019.10.008. [Epub ahead of print] Review.
329. Alizai H, Engebretsen L, Jarraya M, Roemer FW, Guermazi A. Elbow Injuries Detected on Magnetic Resonance Imaging in Athletes Participating in the Rio de Janeiro 2016 Summer Olympic Games. *J Comput Assist Tomogr*. 2019 Nov/Dec;43(6):981-985. doi: 10.1097/RCT.0000000000000929
330. Türk M, Nagel AM, Roemer FW, Schlötzer-Schrehardt U, Thiel CT, Winterholler M, Schröder R. Camptocormia as the presenting symptom in sporadic late onset nemaline myopathy: a case report. *BMC Musculoskelet Disord*. 2019 Nov 20;20(1):553. doi: 10.1186/s12891-019-2942-0.
331. Voinier D, Neogi T, Stefanik JJ, Guermazi A, Roemer FW, Thoma LM, Master H, Nevitt MC, Lewis CE, Torner J, White DK. Using Cumulative Load to Explain How Body Mass Index and Daily Walking Relate to Worsening Knee Cartilage Damage Over Two Years: The MOST Study. *Arthritis Rheumatol*. 2019 Nov 29. doi: 10.1002/art.41181. [Epub ahead of print]
332. Kijowski R, Demehri S, Roemer FW, Guermazi A. Osteoarthritis year in review 2019: imaging. *Osteoarthritis Cartilage*. 2020 Mar;28(3):285-295. doi: 10.1016/j.joca.2019.11.009. Epub 2019 Dec 23. Review

333. Struglics A, Turkiewicz A, Larsson S, Lohmander LS, Roemer FW, Frobell R, Englund M. Molecular and imaging biomarkers of local inflammation at 2 years after anterior cruciate ligament injury do not associate with patient reported outcomes at 5 years. *Osteoarthritis Cartilage*. 2020 Mar;28(3):356-362. doi: 10.1016/j.joca.2019.12.010. Epub 2020 Jan 12.
334. Abdalkader M, Guermazi A, Engebretsen L, Roemer FW, Jarraya M, Hayashi D, Crema MD, Mian AZ. MRI-detected spinal disc degenerative changes in athletes participating in the Rio de Janeiro 2016 Summer Olympics games. *BMC Musculoskelet Disord*. 2020 Jan 20;21(1):45. doi: 10.1186/s12891-020-3057-3.
335. Li S, Schwartz AV, Lavalley MP, Wang N, Desai N, Sun X, Neogi T, Nevitt M, Lewis CE, Guermazi A, Roemer FW, Segal N, Felson D; Multicenter Osteoarthritis Study Group. Association of visceral adiposity with pain, but not structural osteoarthritis. *Arthritis Rheumatol*. 2020 Feb 10. doi: 10.1002/art.41222. [Epub ahead of print]
336. Treutlein C, Bäuerle T, Nagel AM, Guermazi A, Kleyer A, Simon D, Schett G, Hepp T, Uder M, Roemer FW. Comprehensive assessment of knee joint synovitis at 7 T MRI using contrast-enhanced and non-enhanced sequences. *BMC Musculoskelet Disord*. 2020 Feb 21;21(1):116. doi: 10.1186/s12891-020-3122-y.
337. Johnson VL, Guermazi A, Roemer FW, Hunter DJ. Association between radiographic anterior cruciate ligament tear and joint symptoms: Data from the osteoarthritis initiative. *Int J Rheum Dis*. 2020 Feb 26. doi: 10.1111/1756-185X.13806. [Epub ahead of print]
338. Collins NJ, Neogi T, Vicenzino B, Guermazi A, Roemer FW, Lewis CE, Torner JC, Nevitt MC, Stefanik JJ. Psychological and pain sensitisation characteristics are associated with patellofemoral osteoarthritis symptoms: The Multicenter Osteoarthritis Study. *J Rheumatol*. 2020 Mar 1. pii: jrheum.190981. doi: 10.3899/jrheum.190981. [Epub ahead of print]
339. Serner A, Weir A, Tol JL, Thorborg K, Yamashiro E, Guermazi A, Roemer FW, Hölmich P. Associations Between Initial Clinical Examination and Imaging Findings and Return-to-Sport in Male Athletes With Acute Adductor Injuries: A Prospective Cohort Study. *Am J Sports Med*. 2020 Mar 17:363546520908610. doi: 10.1177/0363546520908610. [Epub ahead of print]
340. Dório M, Hunter DJ, Collins JE, Asher R, Eckstein F, Guermazi A, Roemer FW, Deveza LA. Association of baseline and change in tibial and femoral cartilage thickness and development of widespread full-thickness cartilage loss in knee osteoarthritis - data from the Osteoarthritis Initiative. *Osteoarthritis Cartilage*. 2020 Jun;28(6):811-818. doi: 10.1016/j.joca.2020.03.011.
341. Zhai G, Sun X, Randell EW, Liu M, Wang N, Tolstykh I, Rahman P, Torner J, Lewis CE, Nevitt MC, Guermazi A, Roemer FW, Felson DT. Phenylalanine Is a Novel Marker for Radiographic Knee Osteoarthritis Progression: The MOST Study. *J Rheumatol*. 2021 Jan 1;48(1):123-128. doi: 10.3899/jrheum.200054.
342. Roemer FW, Demehri S, Omoumi P, Link TM, Kijowski R, Saarakkala S, Crema MD, Guermazi A. State of the Art: Imaging of Osteoarthritis – Revisited 2020. *Radiology*. 2020 Jul;296(1):5-21. doi: 10.1148/radiol.2020192498.

343. Roemer FW, Collins JE, Neogi T, Crema MD, Guermazi A. Association of knee OA structural phenotypes to risk for progression: a secondary analysis from the Foundation for National Institutes of Health Osteoarthritis Biomarkers study (FNIH). *Osteoarthritis Cartilage*. 2020 Sep;28(9):1220-1228. doi: 10.1016/j.joca.2020.05.008.
344. Markman JD, Bolash RB, McAlindon TE, Kivitz AJ, Pombo-Suarez M, Ohtori S, Roemer FW, Li DJ, Viktrup L, Bramson C, West CR, Verburg KM. Tanezumab for chronic low back pain: a randomized, double-blind, placebo- and active-controlled, phase 3 study of efficacy and safety. *Pain*. 2020 May 19;161(9):2068-78. doi: 10.1097/j.pain.0000000000001928.
345. Roemer FW, Eckstein F, Duda G, Guermazi A, Maschek S, Sharma L, Wirth W. Is Laminar Cartilage Composition as Determined by T2 Relaxometry Associated with Incident and Worsening of Cartilage or Bone Marrow Abnormalities? *Cartilage*. 2020 Jun 12: 1947603520932197. doi: 10.1177/1947603520932197. Online ahead of print.
346. Roemer FW, Kraines J, Aydemir A, Wax S, Hochberg MC, Crema MD, Guermazi A. Evaluating the structural effects of intra-articular sprifermin on cartilage and non-cartilaginous tissue alterations, based on sqMRI assessment over 2 years. *Osteoarthritis Cartilage*. 2020 Sep;28(9):1229-1234. doi: 10.1016/j.joca.2020.05.015.
347. MacKay JW, Roemer FW, Kogan F. Standardized multi-vendor compositional MRI of knee cartilage: a key step towards clinical translation? *Osteoarthritis Cartilage*. 2020 Dec;28(12):1497-1500. doi: 10.1016/j.joca.2020.08.007.
348. Hayashi D, Roemer FW, Eckstein F, Samuels J, Guermazi A. Imaging of OA - From disease modification to clinical utility. *Best Pract Res Clin Rheumatol*. 2020 Dec;34(6):101588. doi: 10.1016/j.berh.2020.101588. Epub 2020 Sep 15.
349. Ahmad Z, Murakami AM, Engebretsen L, Jarraya M, Roemer FW, Guermazi A, Kompel AJ. Knee cartilage damage and concomitant internal derangement on MRI in athletes competing at the Rio de Janeiro 2016 Summer Olympics. *Eur J Radiol Open*. 2020 Sep 11;7:100258. doi: 10.1016/j.ejro.2020.100258. eCollection 2020
350. Haj-Mirzaian A, Mohajer B, Guermazi A, Roemer FW, Zikria B, Demehri S. Kneeling as a risk factor of patellofemoral joint cartilage damage worsening: an exploratory analysis on the Osteoarthritis Initiative. *Eur Radiol*. 2020 Oct 2. doi: 10.1007/s00330-020-07337-z. Online ahead of print.
351. Guermazi A, Neogi T, Katz JN, Kwok CK, Conaghan PG, Felson DT, Roemer FW. Intra-articular Corticosteroid Injections for the Treatment of Hip and Knee Osteoarthritis-related Pain: Considerations and Controversies with a Focus on Imaging- Radiology Scientific Expert Panel. *Radiology*. 2020 Dec;297(3):503-512. doi: 10.1148/radiol.2020200771
352. Pishgar F, Guermazi A, Roemer FW, Link TM, Demehri S. Conventional MRI-based subchondral trabecular biomarkers as predictors of knee osteoarthritis progression: data from the Osteoarthritis Initiative. *Eur Radiol*. 2020 Nov 25. doi: 10.1007/s00330-020-07512-2. Online ahead of print.

353. Zikria B, Rinaldi J, Guermazi A, Haj-Mirzaian A, Pishgar F, Roemer FW, Hakky M, Sereni C, Demehri S. Lateral patellar tilt and its longitudinal association with patellofemoral osteoarthritis-related structural damage: Analysis of the osteoarthritis initiative data. *Knee*. 2020 Dec;27(6):1971-1979. doi: 10.1016/j.knee.2020.11.002. Epub 2020 Nov 25.
354. Wisser A, Lapper A, Roemer FW, Fuerst D, Maschek S, Wirth W, Duda GN, Eckstein F. Longitudinal Change in Knee Cartilage Thickness and Function in Subjects with and without MRI-Diagnosed Cartilage Damage. *Cartilage*. 2020 Dec 24:1947603520980157. doi: 10.1177/1947603520980157. Online ahead of print.
355. Gielis WP, Weinans H, Nap FJ, Roemer FW, Foppen W. Scoring Osteoarthritis Reliably in Large Joints and the Spine Using Whole-Body CT: OsteoArthritis Computed Tomography-Score (OACT-Score). *J Pers Med*. 2020 Dec 22;11(1):E5. doi: 10.3390/jpm11010005.
356. Hunter DJ, Deveza LA, Collins JE, Losina E, Nevitt MC, Roemer FW, Guermazi A, Bowes MA, Dam EB, Eckstein F, Lynch JA, Katz JN, Kwok CK, Hoffmann S, Kraus VB. Multivariable modeling of biomarker data from the phase 1 Foundation for the NIH Osteoarthritis Biomarkers Consortium. *Arthritis Care Res (Hoboken)*. 2021 Jan 9. doi: 10.1002/acr.24557. Online ahead of print.
357. Jarraya M, Heiss R, Duryea J, Nagel AM, Lynch JA, Guermazi A, Weber MA, Arkudas A, Horch RE, Uder M, Roemer FW. Bone Structure Analysis of the Radius Using Ultrahigh Field (7T) MRI: Relevance of Technical Parameters and Comparison with 3T MRI and Radiography. *Diagnostics (Basel)*. 2021 Jan 12;11(1):110. doi: 10.3390/diagnostics11010110.
358. Roemer FW, Guermazi A, Hannon MJ, Fujii T, Omoumi P, Hunter DJ, Eckstein F, Kwok CK. Presence of MRI-defined inflammation particularly in overweight and obese women increases risk of radiographic knee osteoarthritis: the POMA Study *Arthritis Care Res (Hoboken)*. 2021 Feb 2. doi: 10.1002/acr.24568. Online ahead of print.
359. Kempel A, Haran PH, Murakami AM, Engebretsen L, Jarraya M, Roemer FW, Guermazi A. MRI-Detected Knee Ligament Sprains and Associated Internal Derangement in Athletes Competing at the Rio de Janeiro 2016 Summer Olympics. *Open Access J Sports Med*. 2021 Mar 8;12:23-32. doi: 10.2147/OAJSM.S292763.
360. Seuss H, Hammon M, Roemer FW, Heiss R, Janka R, Uder M, Dankerl P. . Scanned versus Fused-Reconstructed Oblique MR-Images for Assessment of the Tibiofibular Syndesmosis-Diagnostic Performance and Reader Agreement. *Diagnostics (Basel)*. 2021 Jan 29;11(2):197. doi: 10.3390/diagnostics11020197
361. Jarraya M, Blauwet CA, Crema MD, Heiss R, Roemer FW, Hayashi D, Derman WE, Guermazi A. Sports injuries at the Rio de Janeiro 2016 Summer Paralympic Games: use of diagnostic imaging services. *Eur Radiol*. 2021 Mar 3. doi: 10.1007/s00330-021-07802-3.
362. Snoeker BAM, Bowes MA, Roemer FW, Turkiewicz A, Lohmander LS, Frobell RB, Englund M. Is meniscal status in the anterior cruciate ligament injured knee associated with change in bone surface area? An exploratory analysis of the KANON trial *Osteoarthritis Cartilage*. 2021 Jun;29(6):841-848. doi: 10.1016/j.joca.2021.02.567.

363. Pishgar F, Guermazi A, Ashraf-Ganjouei A, Haj-Mirzaian A, Roemer FW, Zikria B, Sereni C, Hakky M, Demehri S. Association between Patellofemoral and medial Tibiofemoral compartment osteoarthritis progression: exploring the effect of body weight using longitudinal data from osteoarthritis initiative (OAI) Skeletal Radiol. 2021 Mar 8. doi: 10.1007/s00256-021-03749-0.
364. Roemer FW, Lohmander LS, Englund M, Guermazi A, Åkesson A, Frobell R. Development of MRI-defined Structural Tissue Damage after Anterior Cruciate Ligament Injury over 5 Years: The KANON Study Radiology. 2021 May;299(2):383-393. doi: 10.1148/radiol.2021202954.
365. Bäuerle T, Roemer FW. Dynamic contrast-enhanced MRI for assessment of subchondral bone marrow vascularization in an experimental osteoarthritis model: a major step towards clinical translation? Osteoarthritis Cartilage. 2021 May;29(5):603-606. doi: 10.1016/j.joca.2021.03.001
366. Roemer FW, Guermazi A. Biochemical cartilage changes based on MRI-defined T2 relaxation times do not equal OA detection. Proc Natl Acad Sci U S A. 2021 Mar 16;118(11):e2023833118. doi: 10.1073/pnas.2023833118.
367. Macri EM, Neogi T, Jarraya M, Guermazi A, Roemer FW, Lewis CE, Torner JC, Lynch JA, Tolstykh I, Jafarzadeh SR, Stefanik JJ. Can MRI-defined osteoarthritis features explain anterior knee pain in individuals with, or at risk for, knee osteoarthritis? The MOST Study. Arthritis Care Res (Hoboken). 2021 Mar 25. doi: 10.1002/acr.24604.
368. MacKay J, Guermazi A, Kwok CK, See PLP, Jarraya M, Li L, Hannon MJ, Fujii T, Roemer FW. MRI-defined Osteophyte Presence and Concomitant Cartilage Damage in Knees with Incident Tibiofemoral Osteoarthritis: Data From The Pivotal Osteoarthritis Initiative Magnetic Resonance Imaging Analyses (POMA) Study. Arthritis Care Res (Hoboken). 2021 Mar 26. doi: 10.1002/acr.24605. Online ahead of print.
369. Roemer FW. Weight-bearing CT for Knee Osteoarthritis Assessment: A Story Unfolds. Radiology. 2021 Jun;299(3):660-661. doi: 10.1148/radiol.2021210357.
370. Kiefer LS, Fabian J, Rospleszcz S, Lorbeer R, Machann J, Kraus MS, Roemer FW, Rathmann W, Meisinger C, Heier M, Nikolaou K, Peters A, Storz C, Diallo TD, Schlett CL, Bamberg F. Distribution patterns of intramyocellular and extramyocellular fat by magnetic resonance imaging in subjects with diabetes, prediabetes and normoglycaemic controls. Diabetes Obes Metab. 2021 Apr 29. doi: 10.1111/dom.14413. Online ahead of print.
371. Hayashi D, Roemer FW, Guermazi A. How to effectively utilize imaging in diseasemodifying treatments for osteoarthritis clinical trials: the radiologist's perspective Expert Rev Mol Diagn. 2021 Jun 3:1-12. doi: 10.1080/14737159.2021.1933444.
372. Alizai H, Engebretsen L, Jarraya M, Roemer FW, Guermazi A- Wrist injuries detected on magnetic resonance imaging in athletes participating in the Rio de Janeiro 2016 Summer Olympic Games. Quant Imaging Med Surg. 2021 Jul;11(7):3244-3251. doi: 10.21037/qims-20-1121.

373. Heiss R, Librimir A, Lutter C, Janka R, Kuerten S, Roemer FW, Nagel AM, Uder M, Bayer T. MRI of Finger Pulleys at 7T-Direct Characterization of Pulley Ruptures in an Ex Vivo Model. *Diagnostics (Basel)*. 2021 Jul 3;11(7):1206. doi: 10.3390/diagnostics11071206.

374. Agaimy A, Meidenbauer N, Sukov WR, Stoehr R, Vieth M, Roemer FW, Grützmann R, Folpe AL. Rapidly fatal SMARCA4-deficient undifferentiated sarcoma originating from hybrid hemosiderotic fibrolipomatous tumor/pleomorphic hyalinizing angiectatic tumor of the foot. *Virchows Arch*. 2021 Aug 14. doi: 10.1007/s00428-021-03167-6. Online ahead of print.

375. Morf H, Roemer FW, Agaimy A, Schett G, Manger B. IgG4-related fasciitis. *Rheumatology (Oxford)*. 2021 Aug 30;keab669. doi: 10.1093/rheumatology/keab669. Online ahead of print

376. Roemer FW, Guermazi A, Demehri S, Wirth W, Kijowski R. Imaging in Osteoarthritis. *Osteoarthritis Cartilage*. 2021 Sep 22:S1063-4584(21)00881-5. doi: 10.1016/j.joca.2021.04.018. Online ahead of print.

377. Jarraya M, Roemer FW, Engebretsen L, Kompel AJ, Small KM, Smith SE, Guermazi A. Association of markers of patellofemoral maltracking to cartilage damage and bone marrow lesions on MRI: Data from the 2016 Olympic Games of Rio De Janeiro. *Eur J Radiol Open*. 2021 Oct 4;8:100381. doi: 10.1016/j.ejro.2021.100381. eCollection 2021.

378. Rahimi H, Guermazi A, Roemer FW, Teytelboym OM, Carlier RY, Jarraya M. Beyond the sacro-iliac joints: Vertebral involvement in axial spondylarthritis. *Eur J Radiol*. 2021 Sep 27;144:109982. doi: 10.1016/j.ejrad.2021.109982. Online ahead of print.

379. Maxwell JL, Neogi T, Crossley KM, Macri EM, White D, Guermazi A, Roemer FW, Nevitt MC, Lewis CE, Torner JC, Stefanik JJ. Relation of MRI-Detected Features of Patellofemoral Osteoarthritis to Pain, Performance-Based Function, and Daily Walking: The Multicenter Osteoarthritis Study. *ACR Open Rheumatol*. 2021 Nov 18. doi: 10.1002/acr2.11361. Online ahead of print.

380. Pishgar F, Ashraf-Ganjouei A, Dolatshahi M, Guermazi A, Zikria B, Cao X, Wan M, Roemer FW, Dam E, Demehri S. Conventional MRI-derived subchondral trabecular biomarkers and their association with knee cartilage volume loss as early as 1 year: a longitudinal analysis from Osteoarthritis Initiative. *Skeletal Radiol*. 2022 Apr 2. doi: 10.1007/s00256-022-04042-4.

381. Folle L, Bayat S, Kleyer A, Fagni F, Kapsner LA, Schlereth M, Meinderink T, Breininger K, Tacilar K, Krönke G, Uder M, Sticherling M, Bickelhaupt S, Schett G, Maier A, Roemer FW, Simon D. Advanced neural networks for classification of MRI in psoriatic arthritis, seronegative, and seropositive rheumatoid arthritis. *Rheumatology (Oxford)*. 2022 Mar 25;keac197. doi: 10.1093/rheumatology/keac197. Online ahead of print.

382. Roemer FW. Arthroscopy. 2022 Mar;38(3):945-947. doi: 10.1016/j.arthro.2021.07.036. Editorial Commentary: Arthroscopic Partial Meniscectomy Outcomes Are Worse in Patients With Concomitant Pathology

383. Roemer FW, Felson DT, Stefanik JJ, Rabasa G, Wang N, Crema MD, Neogi T, Nevitt MC, Torner J, Lewis CE, Peloquin C, Guermazi A. Heterogeneity of cartilage damage in Kellgren and Lawrence grade 2 and 3 knees: the MOST study. *Osteoarthritis Cartilage*. 2022 May;30(5):714-723. doi: 10.1016/j.joca.2022.02.614. Epub 2022 Feb 22.

384. Kiefer LS, Fabian J, Rospleszcz S, Lorbeer R, Machann J, Kraus MS, Fischer M, Roemer FW, Rathmann W, Meisinger C, Heier M, Nikolaou K, Peters A, Storz C, Schlett CL, Bamberg F. Population-based cohort imaging: skeletal muscle mass by magnetic resonance imaging in correlation to bioelectrical-impedance analysis. *J Cachexia Sarcopenia Muscle*. 2022 Apr;13(2):976-986. doi: 10.1002/jcsm.12913. Epub 2022 Jan 25.

385. Ahmad ZY, Diaz LE, Roemer FW, Goud A, Guermazi A. Imaging Review of Subscapularis Tendon and Rotator Interval Pathology. *Radiol Res Pract*. 2022 Jan 11;2022:4009829. doi: 10.1155/2022/4009829. eCollection 2022.

386. Mohajer B, Guermazi A, Conaghan PG, Berenbaum F, Roemer FW, Haj-Mirzaian A, Bingham CO, Moradi K, Cao X, Wan M, Demehri S. Statin use and MRI subchondral bone marrow lesion worsening in generalized osteoarthritis: longitudinal analysis from Osteoarthritis Initiative data. *Eur Radiol*. 2022 Jan 19. doi: 10.1007/s00330-021-08471-y. Online ahead of print.

387. Li J, Fu S, Gong Z, Zhu Z, Zeng D, Cao P, Lin T, Chen T, Wang X, Lartey R, Kwok CK, Guermazi A, Roemer FW, Hunter DJ, Ma J, Ding C. MRI-based Texture Analysis of Infrapatellar Fat Pad to Predict Knee Osteoarthritis Incidence. *Radiology*. 2022 Sep;304(3):611-621. doi: 10.1148/radiol.212009.

388. Heiss R, Guermazi A, Janka R, Uder M, Li X, Hayashi D, Roemer FW. *Semin Musculoskelet Radiol*. 2022 Jun;26(3):216-229. doi: 10.1055/s-0042-1743405. Update: Posttreatment Imaging of the Knee after Cartilage Repair

389. Mohajer B, Dolatshahi M, Moradi K, Najafzadeh N, Eng J, Zikria B, Wan M, Cao X, Roemer FW, Guermazi A, Demehri S. Role of Thigh Muscle Changes in Knee Osteoarthritis Outcomes: Osteoarthritis Initiative Data. *Radiology*. 2022 Oct;305(1):169-178. doi: 10.1148/radiol.212771.

390. Kim JS, Borges S, Clauw DJ, Conaghan PG, Felson DT, Fleming TR, Glaser R, Hart E, Hochberg M, Kim Y, Kraus VB, Lapteva L, Li X, Majumdar S, McAlindon TE, Mobasheri A, Neogi T, Roemer FW, Rothwell R, Shibuya R, Siegel J, Simon LS, Spindler KP, Nikolov NP. FDA/Arthritis Foundation osteoarthritis drug development workshop recap: Assessment of longterm benefit. *Semin Arthritis Rheum*. 2022; 56:152070. doi: 10.1016/j.semarthrit.2022.152070.

391. Mohajer B, Moradi K, Guermazi A, Dolatshahi M, Zikria B, Najafzadeh N, Kalyani RR, Roemer FW, Berenbaum F, Demehri S. Diabetes-associated thigh muscle degeneration mediates knee osteoarthritis-related outcomes: results from a longitudinal cohort study. *Eur Radiol*. 2022 Aug 11. doi: 10.1007/s00330-022-09035-4. Online ahead of print.

392. Crema MD, Guermazi A, Roemer FW. *Skeletal Radiol*. 2022 Aug 18. doi: 10.1007/s00256-022-04150-1. Online ahead of print.

393. Roemer FW, Jarraya M, Collins JE, Kwok CK, Hayashi D, Hunter DJ, Guermazi A. Structural phenotypes of knee osteoarthritis: potential clinical and research relevance. *Skeletal Radiol.* 2022 Sep 26. doi: 10.1007/s00256-022-04191-6. Online ahead of print.

394. Wiesmueller M, Meixner CR, Weber M, Kesting M, Nagel AM, Wuest W, May MS, Roemer FW, Uder M, Heiss R. Time-of-Flight Angiography in Ultra-High-Field 7 T MRI for the Evaluation of Peroneal Perforator Arteries Before Osseomyocutaneous Flap Surgery. *Invest Radiol.* 2022 Sep 13. doi: 10.1097/RLL.0000000000000926. Online ahead of print.

395. Filbay SR, Roemer FW, Lohmander LS, Turkiewicz A, Roos EM, Frobell R, Englund M. Evidence of ACL healing on MRI following ACL rupture treated with rehabilitation alone may be associated with better patient-reported outcomes: a secondary analysis from the KANON trial. *Br J Sports Med.* 2022 Nov 3:bjsports-2022-105473. doi: 10.1136/bjsports-2022-105473. Online ahead of print.

396. Wirth W, Maschek S, Marijnissen ACA, Lalande A, Blanco FJ, Berenbaum F, van de Stadt LA, Kloppenburg M, Haugen IK, Ladel CH, Bacardit J, Wissner A, Eckstein F, Roemer FW, Lafeber FPJG, Weinans HH, Jansen M. Test-retest precision and longitudinal cartilage thickness loss in the IMI-APPROACH cohort. *Osteoarthritis Cartilage.* 2022 Nov 3:S1063-4584(22)00895-0. doi: 10.1016/j.joca.2022.10.015. Online

397. Chalian M, Roemer FW, Guermazi A. Advances in osteoarthritis imaging. 2022 Nov 14. doi: 10.1097/BOR.0000000000000917. Online ahead of print.

398. Wirth W, Ladel C, Maschek S, Wissner A, Eckstein F, Roemer FW. Quantitative measurement of cartilage morphology in osteoarthritis: current knowledge and future directions. *Skeletal Radiol.* 2022 Nov 15. doi: 10.1007/s00256-022-04228-w. Online ahead of print.

399. Roemer FW, Jansen M, Marijnissen ACA, Guermazi A, Heiss R, Maschek S, Lalande A, Blanco FJ, Berenbaum F, van de Stadt LA, Kloppenburg M, Haugen IK, Ladel CH, Bacardit J, Wissner A, Eckstein F, Lafeber FPJG, Weinans HH, Wirth W. *BMC Musculoskelet Disord.* 2022 Nov 17;23(1):988. doi: 10.1186/s12891-022-05926-1.

400. Jarraya M, Roemer FW, Bäuerle T, Kogan F, Guermazi A. PET Imaging in Osteoarthritis *PET Clin.* 2023 Jan;18(1):21-29. doi: 10.1016/j.cpet.2022.09.002.

401. Roemer FW, Collins JE, Hunter DJ, Demehri S, Guermazi A. Patterns of progression differ between Kellgren-Lawrence 2 and 3 knees fulfilling different definitions of a cartilagemeniscus phenotype in the Foundation for National Institutes of Health Osteoarthritis Biomarkers study (FNIH). *Osteoarthr Cartil Open.* 2022 Jun 9;4(3):100284. doi: 10.1016/j.ocarto.2022.100284.